




 **Discount
Directionals**



WORKZONE • INDUSTRIAL • HIGHWAY • JAN-SAN • COMMERCIAL • PRODUCT GUIDE




WHAT'S YOUR WORK-ZONE?

This catalog is intended as a resource in identifying the right products for a diverse set of markets. All products are designed and manufactured to meet or exceed applicable safety standards; FMVSS, MUTCD and NCHRP. Please visit our web site at www.cortinaco.com for the latest updates and product news.

WARNING KITS

The Cortina Triangle Reflector Warning Kits meet or exceed all DOT FMVSS125 requirements, thus ensuring that your fleet and the motoring public have the finest product available. The triangle's wire form support guarantees tilt compliance of 40 mph wind test. Opaque container protects fluorescent color from UV deterioration. The unique living hinge box, wire support, and tabs are available ONLY by Cortina. The living hinge box ensures that the lid won't separate from the box. A heavier weighted base ensures that triangles won't move by wind gusts caused by passing traffic. Furthermore, it guarantees compliance to Federal Specifications. Air flow louvers allow for lower wind resistance. Cortina Triangle Reflector Warning Kits meet and exceed all DOT standards and requirements of FMVSS 125. The unique One-Piece living hinge box allows for thousands of openings and closings and eliminates all hinge problems that the industry has faced for years.





A - BOXES

MFR. NO.	PRODUCT DESCRIPTION
13-01-005-01	SCHOOL BUS TRIANGLE BOX
13-01-005-02	LIVING HINGE 219 BOX
13-01-005-05	PLASTIC CASE WITH HANDLE FOR 3 TRIANGLES
13-01-009	PLASTIC CASE FOR 1 TRIANGLE
13-01-013	PLASTIC CASE FOR 2 TRIANGLES

B - AUTO KIT

MFR. NO.	PRODUCT DESCRIPTION
95-02-001	SINGLE (1) TRIANGLE FLARE

C - 319 KIT

MFR. NO.	PRODUCT DESCRIPTION
95-02-002-01	ONE (1) TRIANGLE IN PLASTIC BOX*
95-02-002-02	TWO (2) TRIANGLES IN PLASTIC BOX



D - 219 KIT

MFR. NO.	PRODUCT DESCRIPTION
95-02-002-03	THREE (3) TRIANGLES IN PLASTIC BOX WITH HANDLE
95-03-009	THREE (3) TRIANGLES IN LIVING HINGE BOX-1 PK.*
95-03-010	THREE (3) TRIANGLES IN LIVING HINGE BOX-4 PK.*



E - DISTRESS ALERT TRIANGLES

Using the same technology found in truck triangles, the patented Distress Alert provides a quick, efficient and inexpensive tool to inform other motorists of your presence on the roadway. Our unique, patented window hook allows the triangle to mount on any car window in the universally recognized upright position.

No tools required! Simply unfold and hang on your window.

DON'T GET ON THE ROAD WITHOUT ONE!

MFR. NO.	PRODUCT DESCRIPTION
95-2000-1	DISTRESS ALERT WINDOW TRIANGLE RETAIL WRAPPED
95-2000-B	DISTRESS ALERT WINDOW TRIANGLE BULK*

* high moving item

SAFETY KITS

Cortina's metal and plastic case, fleet kits offer a single kit to meet CFR49 Requirements, eliminates clutter in the vehicle, and offers additional storage space. The high-quality, powder-coated box ensures years of use. Fleet Safety kits may contain the following: Three triangle reflectors, one fire extinguisher, three 20 minute fusees or three 20 minute lightsticks. One hold down strap and brackets included inside one heavy-duty, steel carrying case. The best value custom safety kit contains the following: Three triangle warning flares, One fire extinguisher, Three 20 minute fusees and One heavy-duty plastic carrying case with handle.



A
SCHOOL BUS KIT
95-03-006

A - SCHOOL BUS KITS	
MFR. NO.	PRODUCT DESCRIPTION
95-03-006	SCHOOL BUS TRI KIT WITH 6 20MIN. FUSEES
95-03-007	SCHOOL BUS TRI KIT WITH 6 30MIN. FUSEES

B - 229 KITS

MFR. NO.	PRODUCT DESCRIPTION
03-229-3420	METAL CASE FOR SAFETY KIT
95-04-001-02	FLEET SAFETY KIT WITH LIGHTSTICKS
95-04-002	FLEET SAFETY KIT W/O FIRE EXTINGUISHER
95-04-003	FLEET SAFETY KIT 5 LB. FIRE EXTINGUISHER
95-04-004	FLEET SAFETY KIT 2 3/4 LB. FIRE EXTINGUISHER-REFILLABLE*



B

229 KIT
95-04-004

C - SIX - PACK FLARE KITS

For the automotive aftermarket and heavy duty markets, these kits offer for the first time ever a 6-pack configuration of flares. Contains six flares, bright orange safety vest for flare deployment, and storage case with flare pockets and vest holder. Double zipped 600 denier polyester bag keeps flares together; velcro on back of bag secures placement in trunk or under seat. New packaging graphics attracts customers and low case count allows for easy sell through. More flares and longer burning flares means customer will be prepared for a true emergency.

MFR. NO.	PRODUCT DESCRIPTION
95-07-25G	20 MINUTE FLARE SIX PA CK
95-07-35G	30 MINUTE FLARE SIX PA CK



C

SIX-PACK FLARE
KITS
95-07-25G
95-07-35G

D - MOTORIST SAFETY KIT

This kit, which fits conveniently under most seats contains: Two 30 minute lightsticks, One warning triangle, One reflective safety vest, One bright orange bag to hold contents with custom silk screening available at an upcharge.

MFR. NO.	PRODUCT DESCRIPTION
95-06-03	MOTORIST SAFETY KIT*

* HIGH MOVING ITEM



D

MOTORIST SAFETY KIT
95-06-03

A - FUSEE KITS

Heavy duty, injection-molded, plastic boxes hold four or twelve 20 minute, moisture resistant fusee. Compact design for tight storage space.

MFR. NO.	PRODUCT DESCRIPTION
95-07-25G	20 MINUTE FLARE SIX PACK
95-07-35G	30 MINUTE FLARE SIX PACK



B - FUSEE HOLDERS

Heavy duty Emergency Fusee holders are designed to hold 20 or 30 minute fusee. Holders are constructed from heavy Duty Polypropylene, with a handle and no-roll design.

MFR. NO.	PRODUCT DESCRIPTION
95-07-003	FUSEE HOLDER CASE 12/20 MIN.*
95-07-004	FUSEE HOLDER CASE 12/30 MIN.*

C - FUSEES

Safety fusees available in 20 and 30 minute types. Moisture resistant fusees are available with either a spike, non-spike, or a wire stand.


MFR. NO.	PRODUCT DESCRIPTION
95-07-20	20 MINUTE FUSEE SPIKE TYPE
95-07-21	20 MINUTE FUSEE W/O SPIKE
95-07-22	20 MINUTE FUSEE W/WIRE STAND
95-07-30	30 MINUTE FUSEE SPIKE TYPE
95-07-31	30 MINUTE FUSEE W/O SPIKE
95-07-32	30 MINUTE FUSEE W/WIRE STAND



* HIGH MOVING ITEM

PLASTX BARRICADES

Offering many industry-only features such as: a recessed light bracket to protect light from impact. Recessed and replaceable sheeted panels providing flexibility and savings. Designed for easy nesting and stacking. Plastx Barricades are 100% Recyclable. All barricades are NChRP-350 certified and meet MUTCD specifications. Custom imprinting available.



A - UNSHEETED PLASTIC BARRICADES

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATIONS
13-01-010**	PLASTX BARRICADE TYPE I	12T/4B NO SHEETING
13-01-010-01**	PLASTX BARRICADE TYPE II	8T/8B NO SHEETING
13-01-010-02**	PLASTX BARRICADE TYPE 84	8T/4B NO SHEETING
13-01-010-03**	PLASTX BARRICADE TYPE BARR. ELIM.	12T/8B NO SHEETING

B - TYPE I BARRICADES

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATIONS
97-01-001**	PLASTX TYPE I BARRICADE	12T/4B EGR. SHEETING*
97-01-001-01**	PLASTX TYPE I BARRICADE	12T/4B H.I. SHEETING
97-01-002-05**	PLASTX TYPE I BARRICADE	8T/8B EGR SHEETING TOP ONLY
97-01-001-11**	PLASTX TYPE I BARRICADE	PRISMATIC FLUOR. ORANGE W / DIRECT ARROW 12/4

C - ECONO 84F

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATIONS
97-01-001-05**	PLASTX TYPE 84F BARRICADE	8T/4B EGR. SHEETING
97-01-001-06**	PLASTX TYPE 84F BARRICADE	8T/4B H.I. SHEETING

D - TYPE II BARRICADES

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATIONS
97-01-002**	PLASTX TYPE II BARRICADE	8T/8B EGR. SHEETING*
97-01-002-01**	PLASTX TYPE II BARRICADE	8T/8B H.I. SHEETING*
97-01-002-02	PLASTX TYPE II BARRICADE	8T/4B H.I. SHEETING
97-01-002-03	PLASTX TYPE II BARRICADE	8T/4B EGR. SHEETING

E - TYPE II BARREL ELIMINATOR BARRICADES

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATIONS
97-01-003-01**	PLASTX BARREL ELIMINATOR	12T/8B EGR. SHEETING*
97-01-003-02**	PLASTX BARREL ELIMINATOR	12T/8B H.I. SHEETING*
97-01-003-11**	PLASTX BARREL ELIMINATOR	PRISMATIC FLUOR. ORANGE W/ DIRECT. ARROW 12/8
...

*HIGH MOVING ITEM

**NEW AND IMPROVED PANEL MOUNTING CLIPS.



B
TYPE I
97-01-001



D
TYPE II
BARRICADES
97-01-002



E
BARREL EL. IM.
97-01-003-11

The most versatile barricade system on the market today. Universal plastic leg available in 44" & 60" height. No cutting, drilling or painting! Unique leg "knuckle & lock" (patent pending) eliminates the worry of over spreading. Folds flat to a closed thickness of 3". Molded holes in legs and panels eliminates the guess work and provides for quick and easy assembly. Panels available in three sizes: 12"x24", 8"x24", and 4"x24".

12" X 24" SAND / WATER FILLABLE PANEL

Injection plastic molded components are stronger than hollow legs and panels. Modular design allows for quick and simple replacement of damaged components. Optional sand bar accommodates a 35lb. sand bag in front and back. Universal mix & match parts allow for simple unit reconfiguration. Ability to purchase system components or assembled products. Stenciling is available on all barricades. Contact Cortina.

UNIQUE KNUCKLE ELIMINATES THE NEED FOR BOLTS, MAKING ASSEMBLY EASY.

MODULAR PANEL ALLOWS YOU TO CONVERT TO A TYPE I, TYPE II OR N-CADE USING THE SAME COMPONENTS AND FACILITIES PANEL REPLACEMENT

SUPERIOR HIGH-STRENGTH RESIN WITHSTANDS TEMPERATURE EXTREMES AND HAS A UV PROTECTION PACKAGE FOR YEAR-ROUND USE.

UNIVERSAL LEFT/RIGHT LEGS

MOLDED HOLES FOR EASY PANEL MOUNTING. (NO DRILLING REQUIRED.)

PLASTIC PANELS ARE MODULAR, HOLES ARE MOLDED AND WILL NOT ROT OR SPLINTER. STRONGER THAN HOLLOW CORE BLOW-MOLDED PANELS.

FOLDS FLAT FOR EASY STORAGE



45"

24"



A - TYPE I M - CADE

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATIONS
97-11-001-11	MODULAR BARRICADE TYPE I	12/8 PRISMATIC FLUOR. ORG. W/ DIRECT. ARROW
97-11-001-44	MODULAR BARRICADE TYPE I	44" EGR*
97-11-001-45	MODULAR BARRICADE TYPE I	44" H.I.*

B - TYPE II 12 / 8 PANEL

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATIONS
97-11-002-11	MODULAR BARRICADE TYPE II	8/8 PRISMATIC FLUOR ORG. W/ DIRECT ARROW
97-11-003	MODULAR BARRICADE TYPE II	12T/8B PLAIN
97-11-003-11	MODULAR BARRICADE TYPE II	12T/8B PRIS. FLUOR. ORG. W/ DIRECT ARROW
97-11-003-44	MODULAR BARRICADE TYPE II	12T/8B EGR
97-11-003-45	MODULAR BARRICADE TYPE II	12T/8B HI

C - TYPE III M - CADE

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATIONS
97-1300	MODULAR ADAPTOR TYPE III	60"

D - TYPE II 8 / 8 PANELS

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATIONS
97-11-002-44	MODULAR BARRICADE TYPE II	44" EGR*
97-11-002-45	MODULAR BARRICADE TYPE II	44" H.I.*

E - M- CADE - IB

NEW! B-internal ballast bottom panel holds up to 15lbs. of sand. M-Cade is totally adaptable to be used as a Type I or Type II Barricade. Available with Engineer grade EG or Hi-Intensity grade sheeting. Material is hi-impact co-polyolefin structural resin. Weight empty is 14lbs. Meets all MUTCD requirements recognized by the FHWA, meets NCHRP-350, letter WZ-185. Folds flat with stacking pins for ease of storage. Available with custom legends, silk screened or hot stamped to bottom panel. Full open interlock eliminates sag. Unique "bolt-less" knuckle design.

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATIONS
97-12-001-44	IB EG TYPE I	12"X24" SHEETED TOP PANEL, PLAIN BOTTOM PANEL*
97-12-001-45	IB HIGH INTENSITY TYPE I	12"X24" SHEETED TOP PANEL, PLAIN BOTTOM PANEL
97-12-002-44	IB EG TYPE II	8"X24" SHEETED TOP PANEL, 12"X24" BOTTOM W/ 8" REFLECTIVE
97-12-002-45 IB	HIGH INTENSITY TYPE II	8"X24" SHEETED TOP PANEL, 12"X24" BOTTOM W/ 8" REFLECTIVE*

* HIGH MOVING ITEM

STEELCADES

Cost-effective metal/plastic barricade is built using 12 gauge painted, steel legs and M-Cade plastic panels. Provides a superior cost-effective option that eliminates wood boards that rot, warp and peel. Stronger than blow-molded panels. Recessed holes for panel mounting. No drilling required. 8" bottom panel for identification 45" high x 24" wide.

A - TYPE I STEELCADE

MFR. NO.	PRODUCT DESCRIPTION
97-03-001	12/8 EGR TOP ONLY*
97-03-001-01	12/8 H.I. TOP ONLY
97-03-001-11	12/8 PRISMATIC FLUOR. ORG. W/ DIRECT. ARROW

B - TYPE II STEELCADE

MFR. NO.	PRODUCT DESCRIPTION
97-03-002	8/8 EGR*
97-03-002-01	8/8 H.I.
97-03-003-01	ELIMINATOR 12/8 EGR.
97-03-003-01-11	12/8 PRISMATIC, FLUOR. ORG. W/ DIRECT. ARROW
97-03-003-02	12/8 H.I.



C - SAND BAGS BARRICADE ACCESSORY



Hemmed top polypropylene sandbags have tie cord attached. Orange UV rating: 1,200 hours. White UV rating: 500 hours. Mildew resistant and sold in bundles of 100 only, 10 lbs/bundle.


MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATIONS
97-1800	100 WHITE SANDBAG	14" X 26", HOLDS UP TO 40 LBS
97-1801	100 ORANGE SANDBAG	14" X 26", HOLDS UP TO 40 LBS
97-1802	100 WHITE SANDBAG	18" X 27", HOLDS UP TO 50 LBS
97-1803	100 ORANGE SANDBAG	18" X 27", HOLDS UP TO 50 LBS



D - GF2 GRAVITY FED 2 - CHUTE

This automated sandbag filling system is used to fill two (2) sandbags simultaneously. It requires two (2) people to fill sandbags and one (1) person to operate the front-end loader to keep the hopper full. The gravity fed model will fill 400-500 bags per hour depending on the material and manpower. The operator simply presses a foot pedal to activate the flow of sand into the bag and releases the foot pedal to stop the flow. This equipment is self-contained, lightweight, and transportable in a pickup truck bed. A ladder is provided to manually probe the material in the hopper when necessary. An optional towing package is available.

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATIONS
97-1818	GRAVITY FED 2-CHUTE	2 FILLING STATIONS, LADDER INCLUDED



BARRIER SYSTEMS

PLASTX A-Frame Barrier System offers an easy and convenient solution. The unique A-Frame leg won't rot, rust, crack or peel. Its unique design will hold I-Beam configured boards, wood planks, or extruded plastic plank boards. Will hold all manufacturers boards.

A - FRAME LEGS

(I-Beam not included) Injection molded, structural foam A-Frame legs are the most durable units available on the market. Mounting holes accommodate virtually all boards on the market today. Superior to blow-molded units.

A - BALLASTED A-FRAME SYSTEM

Optional weight cartridges can be attached to A-Frame legs. Provides up to 7 lbs. of additional weight. Flexible A-Frame can be used as standard system or with ballast cartridges for applications that need additional weight. Unique A-Frame design holds I-Beam or wood planks.

MFR. NO.	PRODUCT DESCRIPTION
97-01-004	A-FRAME W/ SLOTS FOR WEIGHT CARTRIDGE
97-01-004-CE	A-FRAME W/ PRE-FILLED WEIGHT CARTRIDGE



A
BALLASTED A-FRAME
97-01-004-CE



A
BALLASTED A-FRAME
97-01-004-CE



B
P-CADE
97-1600

B - P - CADE

ADA Compliant modular system. See website for details.

MFR. NO.	PRODUCT DESCRIPTION
97-1600	P -CADE 6' SYSTEM



C
ONE BOARD FRAMES
97-01-004-02 (WHITE)

C - COLOR A-FRAMES : 1 BOARD

MFR. NO.	PRODUCT DESCRIPTION
97-01-004-02	A-FRAME, 1 BOARD, WHITE*
97-01-004-02B	A-FRAME, 1 BOARD, BLUE*
97-01-004-02G	A-FRAME, 1 BOARD, GREEN
97-01-004-02O	A-FRAME, 1 BOARD, ORANGE*
97-01-004-02R	A-FRAME, 1 BOARD, RED
97-01-004-02Y	A-FRAME, 1 BOARD, YELLOW*

E
TWO BOARD FRAMES
97-01-004 (WHITE)

D - A-FRAME TYPE III

MFR. NO.	PRODUCT DESCRIPTION
97-01-004-3	A-FRAME FOR USE WITH TYPE III

E - COLOR A-FRAMES : 2 BOARDS

MFR. NO.	PRODUCT DESCRIPTION
97-01-004	A-FRAME 2 BOARD, WHITE
97-01-004B	A-FRAME 2 BOARD, BLUE
97-01-004G	A-FRAME 2 BOARD, GREEN
97-01-004O	A-FRAME 2 BOARD, ORANGE
97-01-004R	A-FRAME 2 BOARD, RED
97-01-004Y	A-FRAME 2 BOARD, YELLOW

*HIGH MOVING ITEM



I-BEAMS AND T-BOARDS

A - PLASTX T- BOARD

T for TOUGH! Made of extruded exterior grade PVC, UV Stabilized white color custom compounded in the board. There are 2 styles - thin 1" x 8" or standard 2" x 8" profiles. Stocked in 6' & 8' lengths and minimal lead-time for longer lengths. They won't rot, crack or peel and the smooth exterior is chemical resistant which reduces maintenance. 7 years UV package protects against deterioration. Withstands extreme temperatures. Available plain or striped with engineer grade, or hi-intensity prismatic grade sheeting on 1 or 2 sides.

MFR. NO. PRODUCT DESCRIPTION

97-01-0113	1X8X4 FT PLAIN
97-01-018	1X8X6 FT PLAIN
97-01-018-01	1X8X6 FT EGR 1 SIDE
97-01-018-02	1X8X6 FT EGR 2 SIDES
97-01-018-03	1X8X6 FT HI 2 SIDES
97-01-018-04	1X8X6 FT HI 1 SIDE
97-01-019	1X8X8 FT PLAIN
97-01-019-01	1X8X8 FT EGR 1 SIDE
97-01-019-02	1X8X8 FT EGR 2 SIDES
97-01-019-03	1X8X8 FT HI 2 SIDES
97-01-019-04	1X8X8 FT HI 1 SIDE
97-01-0213	2X8X4 FT PLAIN
97-01-028	2X8X6 FT PLAIN
97-01-028-01	2X8X6 FT EGR 1 SIDE
97-01-028-02	2X8X6 FT EGR 2 SIDES
97-01-028-03	2X8X6 FT HI 2 SIDES
97-01-028-04	2X8X6 FT HI 1 SIDE
97-01-029	2X8X8 FT PLAIN
97-01-029-01	2X8X8 FT EGR 1 SIDE
97-01-029-02	2X8X8 FT EGR 2 SIDES
97-01-029-03	2X8X8 FT HI 2 SIDES
97-01-029-04	2X8X8 FT HI 1 SIDE

MFR. NO. PRODUCT DESCRIPTION

97-01-0110	1X8X10 FT PLAIN
97-01-0110-01	1X8X10 FT EGR 1 SIDE
97-01-0110-02	1X8X10 FT EGR 2 SIDES
97-01-0110-03	1X8X10 FT HI 2 SIDES
97-01-0110-04	1X8X10 FT HI 1 SIDE
97-01-0112	1X8X12 FT PLAIN
97-01-0112-01	1X8X12 FT EGR 1 SIDE
97-01-0112-02	1X8X12 FT EGR 2 SIDES
97-01-0112-03	1X8X12 FT HI 2 SIDES
97-01-0112-04	1X8X12 FT HI 1 SIDE
97-01-0210	2X8X10 FT PLAIN
97-01-0210-01	2X8X10 FT EGR 1 SIDE
97-01-0210-02	2X8X10 FT EGR 2 SIDES
97-01-0210-03	2X8X10 FT HI 2 SIDES
97-01-0210-04	2X8X10 FT HI 1 SIDE
97-01-0212	2X8X12 FT PLAIN
97-01-0212-01	2X8X12 FT EGR 1 SIDE
97-01-0212-02	2X8X12 FT EGR 2 SIDES
97-01-0212-03	2X8X12 FT HI 2 SIDES
97-01-0212-04	2X8X12 FT HI 1 SIDE



B - I - BEAMS

I-Beams are manufactured using exterior grade PVC providing year round, all weather durability. 7 year UV package protects from deterioration. "I"-Beam design protects sheeting.



B
I-BEAM
97-01-008-01

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATIONS
97-01-008	6' I BEAM	PLAIN
97-01-008-01	6' I BEAM EGR. SHEETING	1 SIDE
97-01-008-02	6' I BEAM EGR. SHEETING	2 SIDES*
97-01-008-03	6' I BEAM HI-INTENSITY SHEETING	1 SIDE
97-01-008-04	6' I BEAM HI-INTENSITY SHEETING	2 SIDES
97-01-008-06	6' I BEAM	1 SIDE LIME
97-01-008-07	6' I BEAM	2 SIDES LIME
97-01-009	8' I BEAM	PLAIN
97-01-009-01	8' I BEAM EGR. SHEETING	1 SIDE
97-01-009-02	8' I BEAM EGR. SHEETING	2 SIDES*
97-01-009-03	8' I BEAM HI-INTENSITY SHEETING	2 SIDES*
97-01-009-04	8' I BEAM HI-INTENSITY SHEETING	1 SIDE
97-01-009-06	8' I BEAM	1 SIDE LIME
97-01-009-07	8' I BEAM	2 SIDES LIME
97-01-010	10' I BEAM	PLAIN
97-01-010-01	10' I BEAM EGR SHEETING	1 SIDE
97-01-010-02	10' I BEAM EGR SHEETING	2 SIDES
97-01-010-03	10' I BEAM HIGH INTENSITY SHEETING	1 SIDE
97-01-010-04	10' I BEAM HIGH INTENSITY SHEETING	2 SIDES
97-01-012	12' I BEAM	PLAIN
97-01-012-01	12' I BEAM EGR SHEETING	1 SIDE
97-01-012-02	12' I BEAM EGR SHEETING	2 SIDES
97-01-012-03	12' I BEAM HI SHEETING	1 SIDE
97-01-012-04	12' I BEAM HI SHEETING	2 SIDES
97-01-013-02	4' I BEAM EGR SHEETING	2 SIDES

C - TYPE III KITS

The Type III Barricade System is designed to meet Type III requirements of MUTCD specifications for a barricade device. All plastic construction won't rot, rust, crack or peel. Uses standard Cortina I-Beams, A-Frames and M-Cade legs. Provides years of use. Patent Pending.

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATIONS
97-1300-101-E	TYPE III KIT 10' EGR	1 SIDE
97-1300-101-H	TYPE III KIT 10' HI	1 SIDE
97-1300-102-E	TYPE III KIT 10' EGR	2 SIDES
97-1300-102-H	TYPE III KIT 10' HI	2 SIDES
97-1300-121-E	TYPE III KIT 12' EGR	1 SIDE
97-1300-121-H	TYPE III KIT 12' HI	1 SIDE
97-1300-122-E	TYPE III KIT 12' EGR	2 SIDES
97-1300-122-H	TYPE III KIT 12' HI	2 SIDES
97-1300-61-E	TYPE III KIT 6' EGR	1 SIDE
97-1300-61-H	TYPE III KIT 6' HI	1 SIDE
97-1300-62-E	TYPE III KIT 6' EGR	2 SIDES
97-1300-62-H	TYPE III KIT 6' HI	2 SIDES
97-1300-81-E	TYPE III KIT 8' EGR	1 SIDE
97-1300-81-H	TYPE III KIT 8' HI	1 SIDE
97-1300-82-E	TYPE III KIT 8' EGR	2 SIDES*
97-1300-82-H	TYPE III KIT 8' HI	2 SIDES*

* HIGH MOVING ITEM



C
TYPE III KIT
97-1300-101-E

N-CADE SYSTEMS

A - N- CADES

Designed to meet requirements of MUTCD specifications for barricade devices in narrow applications. Panel size: 24" H x 12" W. Available in two sizes: 36" (9lbs) and 44" (10lbs). Recessed weight cartridge area in legs. 100% Recyclable. Lights sold separately. NChRP-350 certified.



MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
97-01-006	N-CADE 36"	EGR SHEETING*
97-01-006-01	N-CADE 36"	PLAIN
97-01-006-02	N-CADE 36"	H.I. SHEETING
97-01-006-05	N-CADE 36"	SCHOOL CROSSING LIME SHEETING
97-01-006-06	N-CADE 36"	PEDESTRIAN WARNING LIME/GREEN
97-01-006-07	N-CADE 36"	"CLOSED FOR CLEANING"
97-01-006-08	N-CADE 36"	"SLIPPERY WHEN WET"
97-01-007	N-CADE 44"	EGR SHEETING*
97-01-007-01	N-CADE 44"	H.I. SHEETING
97-01-007-03	N-CADE 44"	PLAIN
97-01-007-03CC	N-CADE 44"	"CLOSED FOR CLEANING"
97-01-007-03CL	N-CADE 44"	"CAUTION" LIME
97-01-007-03DN	N-CADE 44"	"DO NOT ENTER"
97-01-007-03EO	N-CADE 44"	"ELEVATOR OUT OF ORDER"
97-01-007-03KL	N-CADE 44"	"KEEP LEFT" ARROW
97-01-007-03KLR	N-CADE 44"	"KEEP LEFT/KEEP RIGHT" NON-REFLECTIVE
97-01-007-03KR	N-CADE 44"	"KEEP RIGHT" ARROW
97-01-007-03PR	N-CADE 44"	"POLICE ROAD CHECK AHEAD" NON-REFLECTIVE
97-01-007-03RC	N-CADE 44"	"ROAD CLOSED"
97-01-007-03SP	N-CADE 44"	"STOP POLICE CHECK POINT"
97-01-007-03SW	N-CADE 44"	"SLIPPERY WHEN WET"
97-01-007-03SX	N-CADE 44"	"SCHOOL X-ING" LIME*
97-01-007-03TA	N-CADE 44"	"TREE WORK AHEAD"
97-01-007-03TW	N-CADE 44"	"TWO WAY TRAFFIC SLOW DOWN"
97-01-007-03YT	N-CADE 44"	"YIELD TRUCK TRAFFIC"

B - DIRECTIONAL I - BEAMS

Unique vertical panel & recycled rubber base offers high visibility portable delineation. Ideal for parking lots, crosswalks, schools and industrial plants.

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
14-002	DIRECTIONAL I-BEAM BARRICADE	4' EGR
14-003	DIRECTIONAL I-BEAM BARRICADE	4' HI
14-004	DIRECTIONAL I-BEAM BARRICADE	4' FLUORESCENT ORANGE
14-005	DIRECTIONAL I-BEAM BARRICADE	4' LIME
14-006	DIRECTIONAL I-BEAM BARRICADE	RUBBER BASE
14-007-06	DIRECTIONAL I-BEAM BARRICADE	FLUORESCENT LIME REFLECTIVE
...	SCHOOL CROSSING, PRISMATIC	W / 15# RUBBER BASE

* HIGH MOVING ITEM

Sign Legends Sign legends ideal for a wide variety of work zone, institutional or industrial delineation. Designed for PLASTX Type I Barricades and 36" or 44" PLASTX N-Cades.



BARRICADE SIGN LEGENDS

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATIONS
13-01-010AL	BARRICADE TYPE I "THIS WAY"	ARROW LEFT*
13-01-010AR	BARRICADE TYPE I "THIS WAY"	ARROW RIGHT*
13-01-010C	BARRICADE TYPE I "CAUTION"	...
13-01-010DH	BARRICADE TYPE I "DANGER HIGH VOLTAGE"	...
13-01-010DL	BARRICADE TYPE I "DETOUR"	ARROW LEFT*
13-01-010DOP	BARRICADE TYPE I "DANGER OVERHEAD POWER LINES"	...
13-01-010DR	BARRICADE TYPE I "DETOUR"	ARROW RIGHT*
13-01-010SC	BARRICADE TYPE I "SIDEWALK CLOSED"	...
13-01-010SM	BARRICADE TYPE I "STOP MEN WORKING"	...
97-02-001	SIGN: ELEVATOR OUT OF ORDER	(2C) FOR N-CADE
97-02-002	SIGN: CLOSED FOR CLEANING	(2C) FOR N-CADE
97-02-003	SIGN: SLIPPERY WHEN WET	(2C) FOR N-CADE
97-02-004	SIGN: DANGER HIGH VOLTAGE	(2C) FOR TYPE I BARRICADE
97-02-005L	SIGN: THIS WAY ARROW LEFT	(1C) FOR TYPE I BARRICADE
97-02-005R	SIGN: THIS WAY ARROW RIGHT	(1C) FOR TYPE I BARRICADE
97-02-006	SIGN: ROAD CLOSED AHEAD	(1C) FOR N-CADE
97-02-007	SIGN: 2WAY TRAFFIC SLOW DOWN	(1C) FOR TYPE I BARRICADE
97-02-008	SIGN: YIELD TRUCK TRAFFIC	(2C) FOR N-CADE
97-02-009	SIGN: STOP MEN WORKING	(2C) FOR TYPE I BARRICADE
97-02-010L	SIGN: DETOUR ARROW LEFT	(1C) FOR TYPE I BARRICADE
97-02-010R	SIGN: DETOUR ARROW RIGHT	(1C) FOR TYPE I BARRICADE
97-02-011	SIGN: CAUTION	(1C) FOR TYPE I BARRICADE
97-02-012	SIGN: KEEP RIGHT ARROW	(1C) FOR N-CADE
97-02-013	SIGN: KEEP LEFT ARROW	(1C) FOR N-CADE
97-02-014	SIGN: DO NOT ENTER	(2C) FOR N-CADE
97-02-015	SIGN: STOP POLICE CHECKPOINT	(2C) FOR N-CADE
97-02-016	SIGN: SCHOOL CROSSING (LIME)	(1C) FOR N-CADE
97-02-017	SIGN: CAUTION FLUORESCENT	LIME REFLECTIVE
.....	(1C) FOR N-CADE	
97-02-018	SIGN: TREE WORK AHEAD	(1C) FOR N-CADE
97-02-019	SIGN: SIDEWALK CLOSED	(1C) FOR TYPE I BARRICADE
97-02-020	SIGN: MEN WORKING	(2C) FOR N-CADE
97-02-021	SIGN: ROAD CLOSED 12" X 24"	(1C) FOR TYPE I BARRICADE
97-02-022L	SIGN: DETOUR ARROW LEFT 12" X 24"	(1C) FOR N-CADE
97-02-022R	SIGN: DETOUR ARROW RIGHT 12" X 24"	(1C) FOR N-CADE
97-02-023	SIGN: CAUTION MEN WORKING SLOW DOWN	(1C) FOR N-CADE
97-02-024	12" X 24" PANEL SCREEN	YELLOW
97-02-025	SIGN: HOUSE FOR SALE	FOR TYPE I BARRICADE
97-02-026	SIGN: OPEN HOUSE	FOR N-CADE
97-02-027	SIGN: STATE LAW YIELD TO CROSSWALK	FLUORESCENT LIME REFLECTIVE

* HIGH MOVING ITEM

SIGN LEGENDS

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATIONS
03-10-007-L	PLASTX TYPE I REPLACEMENT PANEL	EGR LEFT SLANT 12" X 24"
03-10-007-R	PLASTX TYPE I REPLACEMENT PANEL	EGR RIGHT SLANT 12" X 24"
03-10-008-30	EGR BARR. TAPE	8" X 50 YD L
03-10-008-31	EGR BARR. TAPE	8" X 50 YD R
03-10-008-32	EGR BARR. TAPE	12" X 50 YD L
03-10-008-33	EGR BARR. TAPE	12" X 50 YD R
03-10-008-34	H.I. BARR. TAPE	8" X 50 YD L
03-10-008-35	H.I. BARR. TAPE	8" X 50 YD R
03-10-008-36	H.I. BARR. TAPE	12" X 50 YD L
03-10-008-37	H.I. BARR. TAPE	12" X 50 YD R
03-10-008-38	EGR BARR. TAPE	6" X 50 YD. L
03-10-008-39	EGR BARR. TAPE	6" X 50 YD. R
03-10-008-L	PLASTX TYPE I REPLACEMENT PANEL HI LEFT	12" X 24"
03-10-008-R	PLASTX TYPE I REPLACEMENT PANEL HI RIGHT	12" X 24"
03-10-009-L	PLASTX TYPE II REPLACEMENT PANEL EGR LEFT SLANT	8" X 24"
03-10-009-R	PLASTX TYPE II REPLACEMENT PANEL EGR RIGHT SLANT	8" X 24"
03-10-010-L	PLASTX TYPE I REPLACEMENT PANEL HI LEFT	8" X 24"
03-10-010-R	PLASTX TYPE I REPLACEMENT PANEL HI RIGHT	8" X 24"
03-10-013	METAL LEG FOR BARRICADE	12 GA. PAINTED WHITE
03-10-018	M-CADE PANEL	FLUORESCENT ORANGE
...	BLACK DIRECTION ARROW 12" X 24"	
03-219-1036F	WEIGHT CARTRIDGES	SNAPS INTO ALL FOUR BARRICADE LEGS
13-01-011	PLASTX BARRICADE LIGHT	BRACKET ONLY
13-10-006	PLASTIC PANE L FASTENERS	6 PA CK
13-10-006B	PLASTIC PANE L FASTENERS	BULK
13-10-007	PLAIN BLACK PANEL	12" X 24"
13-10-009	PLAIN BLACK PANEL	8" X 24"
13-10-012	M-CADE PANEL 12" X 24"	FL. ORANGE PRISMATIC W/ DIRECTIONAL ARROW
13-10-013	M-CADE PANEL 8" X 24"	FL. ORANGE PRISMATIC W/ DIRECTIONAL ARROW
97-1100	MODULAR BARRICADE LEG	44"
97-1400	M-CADE SAND BAR FOR BARRICADES	3"X24"
97-1500	M-CADE PANEL 8"X24"	NO SHEETING
97-1500-L	M-CADE PANEL, 8" X 24"	EGR LEFT
97-1500-R	M-CADE PANEL, 8" X 24"	EGR RIGHT
97-1500-1	M-CADE PANEL, 8" X 24"	HI LEFT
97-1500-2	M-CADE PANEL, 8" X 24"	HI RIGHT
97-1600	M-CADE PANEL 12"X24"	NO SHEETING
97-1600-L	M-CADE PANEL, 12" X 24"	EGR LEFT
97-1600-R	M-CADE PANEL, 12" X 24"	EGR RIGHT
97-1600-1	M-CADE PANEL, 12" X 24"	HI LEFT
97-1600-2	M-CADE PANEL, 12" X 24"	HI RIGHT
97-1650SF	SANDFILLABLE PANEL FOR M-CADE

* HIGH MOVING ITEM

BARRICADE SYSTEMS

Great for : Road Work, Utility work, Restricted areas and events, Building sites, Temporary foot paths, Identifying obstacles/dangerous areas




A - MODULAR BARRICADE SYSTEM

Easy to set-up, easy to transport, occupies minimal storage space, reusable, lightweight, resistant to atmospheric agents highly visible. Combine sections using cable ties.




MODULAR
BARRICADE SYSTEM
03-905G




MODULAR
BARRICADE SYSTEM
03-908G




MODULAR
BARRICADE SYSTEM
03-906G

B - P - CADE

ADA Compliant modular system. See website for details.

MFR. NO.	PRODUCT DESCRIPTION
97-1600	P -CADE 6' SYSTEM



BARRICADE LIGHTS

Features: Green Energy - No Battery Required, Automatic on Dusk/Off Dawn (Flash/Steady Burn), Bidirectional, Viewing Distance Over 1 Mile, Flash Automatic when Ambient Light Falls Below 400 lux, Flash Rates 60 Times Per Minute, Light - 2 pieces 5 mm, Super Bright Amber LED 20,000 Hour Life.

A
SOLAR
BARRICADE
LAMPS
03-10-SBLG



A - S P SOLAR B ARRICAD E LAMPS

- Solar Module 0.3 w / Mono Crystalline Panel
- Battery - 1.2 V/1800 mAh Ni-MH Battery
- Battery Life - 500 Times Recharging Cycles
- Operation Current 60 mA
- Battery included

MFR. NO.	PRODUCT DESCRIPTION
03-10-SBLG	H 13.38" W 7.28" D 3.78"

A - S P SOLAR B ARRICAD E LAMPS

Meets MUTCD standards and ITE certification. Operates with 4 D-cell batteries. 3 way (flashing, steady burn, off) LED lights located in the strongest area of the case for protection. Simple, one-piece battery compartment. Durable protected LED lighting assembly. Parts are not interchangeable with old incandescent light.

MFR. NO.	PRODUCT DESCRIPTION	CASE COUNT
03-10-WAYDC	SUNDOWNER AMBER BODY/LENS	STD PK 10



B
LED
SUNDOWNER



C
PARALTA
LIGHT

C - PARALTA LIGHT

Meets MUTCD standards and ITE certification. Operates with single or double 6-volt batteries (not included). Photocell circuit is designed to sense the ambient light levels. Inner LED light will be turned off if the current light conditions are too high. 90° lens for easy use on Barricades and delineation devices. 7" polycarbonate lens. Parts are not interchangeable with old incandescent light.

MFR. NO.	PRODUCT DESCRIPTION	CASE COUNT
03-10-3WAYKC	PARALTA - AMBER BODY/LENS	STD PK 10



D
BARRICADE
LIGHTS
03-10-BLAYDC



D
BARRICADE
LIGHTS
03-10-3WAY6V



D
BARRICADE
LIGHTS
03-10-3WRYDC



D
BARRICADE
LIGHTS
03-10-3WAYDC

D - BARRICADE LIGHTS

Meets all MUTCD and ITE specifications in 12 volt configuration. Reliable chip circuit is weather resistant. 7" polycarbonate lens provides extreme durability. Attaches to all barricades. State of the art optics. Uv stabilized polycarbonate. 10 lights, 1 wrench and 10 bolts are included in a package.

MFR. NO.	PRODUCT DESCRIPTION	CASE COUNT
03-10-3WAYKC	PARALTA 3 WAY SWITCH WITH LED	
03-10-3WAY6V	6V W/PHOTOCELL, 3-WAY SWITCH, YELLOW	CASE /AMBER LENS (10/CS)*
03-10-3WAY6V-BAT	6V W/PHOTO, 3-WAY SWITCH, YLW CASE/AMB LENS W/2 BATT. INSTA L.	(10/CS)
03-10-3WAYDC	D -CELL W/PHOTOCELL, 3-WAY SWITCH, YELLOW CASE/AMBER LENS	(10/CS) *
03-10-WAYDC	SUNDOWNER - BARRICADE LIGHT: L.E.D. - YELLOW CASE/AMBER LENS	(10/CS)
03-10-3WRY6V	6V W/PHOTOCELL, 3-WAY SWITCH, YELLOW CASE/RED LENS	(10/CS)
03-10-3WRYDC	D -CELL W/PHOTOCELL, 3-WAY SWITCH, YELLOW CASE/RED LENS	(10/CS)
03-10-BLAY6V	6V, TYPE B LIGHT, YELLOW CASE/AMBER LENS	(10/CS)*
03-10-BLAYDC	D -CELL, TYPE B LIGHT, YELLOW CASE/AMBER LENS	(10/CS)*
03-10-BLRY6V	6V, TYPE B LIGHT, YELLOW CASE/RED LENS	(10/CS)
03-10-BLRYDC	D -CELL, TYPE B LIGHT, YELLOW CASE/RED LENS	(10/CS)
03-10-001	BARRICADE LIGHT BOLT	—
03-10-002	BARRICADE LIGHT WRENCH / COMBO TOOL	—

* HIGH MOVING ITEM

DELINEATOR POSTS

The Cortina EZ Grab Delineator Post is made from 100% impact-resistant polyethylene material. Its EZ Grab handle provides portability and ease of movement. Uv inhibitors resist fading. Each post comes with two 3" high intensity reflective bands. Bands are recessed inside post for protection. The base is 100% recycled rubber and is extremely durable. Post is NChRP-350 Certified and stands 45" high. Optional oval reflex reflector or strobe adds extra measure of safety. Colored posts available for customization. The Cortina EZ Grab Delineator Post is made from 100% impact-resistant polyethylene material. Its EZ Grab handle provides portability and ease of movement. Uv inhibitors resist fading. Each post comes with two 3" high intensity reflective bands. Bands are recessed inside post for protection. The base is 100% recycled rubber and is extremely durable. Post is NChRP-350 Certified and stands 45" high. Optional oval reflex reflector or strobe adds extra measure of safety. Colored posts available for customization.



A - TUBULAR SURFACE MOUNT DELINEATOR

Tubular surface mount delineator is a high performance, surface mounted, flexible plastic channelization and delineation device. Product can be bonded to asphalt or concrete surfaces to provide traffic control in areas requiring easy removal or relocation. Product provides excellent impact resistance and rebounds after impact.



MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
04-36-WWG	36" TUBULAR SURFACE MOUNT MARKER WHITE	3" X 6" HI-INTENSITY WHITE SHEETING
04-36-YYG	36" TUBULAR SURFACE MOUNT MARKER YELLOW	3" X 6" HI-INTENSITY YELLOW SHEETING
04-36-BWG	36" TUBULAR SURFACE MOUNT MARKER BLACK	3" X 6" HI-INTENSITY WHITE SHEETING
04-36-OWG	36" TUBULAR SURFACE MOUNT MARKER ORANGE	3" X 6" HI-INTENSITY WHITE SHEETING
04-48-WWG	48" TUBULAR SURFACE MOUNT MARKER WHITE	3" X 6" HI-INTENSITY WHITE SHEETING
04-48-YYG	48" TUBULAR SURFACE MOUNT MARKER YELLOW	3" X 6" HI-INTENSITY YELLOW SHEETING
04-48-BW	48" TUBULAR SURFACE MOUNT MARKER BLACK	3" X 6" HI-INTENSITY WHITE SHEETING
04-48-OWG	48" TUBULAR SURFACE MOUNT MARKER ORANGE	3" X 6" HI-INTENSITY WHITE SHEETING



B - EZ-GRAB 5 POST CURB BASE SYSTEM™



Modular EZ-Grab 5 Post Curb System™, 100% recycled rubber base accepts up to 5 of the Cortina EZ-Grab™ delineators and creates a strong visual barrier around hazardous work areas. Great to use as a traffic transitional device approaching toll booths, in school zones, hospitals or for general pedestrian control. Easy to move assembled unit around work zones. Use all orange posts or mix and match colors for additional visibility. Quick and easy set up, posts just push through bottom of base.

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
03-729-5	EZ-GRAB 5 POST CURB BASE SYSTEM™	INCLUDES 5 EACH OF 03-734 POSTS AND BASE.

* HIGH MOVING ITEM

C - DELINEATOR POSTS

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
03-734	EASY GRAB DELINEATOR POST	FLARED 45" W/2 EA. 3" H.I COLLARS*
03-734RBC	DELINEATOR POST FLARED	45" W/ 2 EA. 3" HI COLLARS, 10# RUBBER BASE IN BOX*
03-735	DELINEATOR POST STRAIGHT	2 EA. 3" RFL. BANDS FOR USE WITH PERMANENT BASE
03-737	EASY GRAB DELINEATOR POST FLARED	45" W/ 2 EA. 3" HI COLL. & OVAL REFLECTORS*
03-739	EASY GRAB DELINEATOR POST FLARED	45" W/ 2 EA. 3" HI COLLARS AND 2 EA. STROBES*
03-740	EASY GRAB DELINEATOR POST FLARED	45" PLAIN - FLARED BOTTOM
03-745	AB PERM. MOUNT DELINEATOR POST	2 EA. 3" REFL. BANDS, ALUMINUM BASE
03-746ABC	PERM. MOUNT DELINEATOR POST	2 EA. 4" REFL. BANDS, ALUMINUM BASE*
03-747BRBC	EASY GRAB DELINEATOR POST FLARED	45", BLUE W/ 2 3" HI COLLARS W/10# RUBBER BASE IN BOX
03-747FGRBC	EASY GRAB DELINEATOR POST FLARED	45", FOREST GREEN W/ 2 3" HI COLLARS W/10# RUBBER BASE IN BOX
03-747WRBC	EASY GRAB DELINEATOR POST FLARED	45", WHITE W/ 2 3" HI COLLARS W/10# RUBBER BASE IN BOX
03-747YRBC	EASY GRAB DELINEATOR POST FLARED	45", YELLOW W/ 2 3" HI COLLARS W/10# RUBBER BASE IN BOX

D - DELINEATOR BASES

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
03-730	DELINEATOR BASE	RUBBER 10#*
03-731	DELINEATOR BASE	RUBBER 15#*
03-733	ALUMINUM BASE	FOR EZ-GRAB DELINEATOR

E - EZ -GRAB WIDE BODY DELINEATOR

Cortina Safety Products Group is pleased to introduce a revolutionary new temporary traffic control device. Lower profile design takes up less warehouse, truck and road surface space. Stepped sides prevent sticking when stacked providing for faster set up. EZ-Grab handle makes it easier to transport and store. Built to withstand repeated impacts and temperature extremes. Provides high visibility target value within a smaller space. Constructed of HDPE with UV inhibitors. EZ-Grab handle design makes moving and stacking it a breeze. Handle has built in holder for traffic control batons. Handle has center mount light bolt hole for streamlined delineation. Available with Hi-Intensity or Fluorescent Prismatic sheeting in 4" and 6" configurations. 44.12" tall 13" diameter at top tier, 16.5" diameter at bottom shoulder. Meets NCHRP-350 crash test requirements.

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
03-755-P	BARREL ONLY	...
03-755-24HI	WIDE BODY DELINEATOR	2-4" HI INTENSITY STRIPES
03-755-4HI	WIDE BODY DELINEATOR	4-4" HI INTENSITY STRIPES
03-755-6HI	WIDE BODY DELINEATOR	4-6" HI INTENSITY STRIPES
03-755-4FP	WIDE BODY DELINEATOR	4-4" FLUORESCENT STRIPES
03-755-6FP	WIDE BODY DELINEATOR	4-6" FLUORESCENT STRIPES
03-732	RECYCLED RUBBER BASE	20 LBS.

* HIGH MOVING ITEM



CONNECT YOUR
BARRICADE
LIGHT HERE



GRIP N GO / TRAILBLAZER

CONICAL HEIGHT: 42"
OVERALL HEIGHT: 49.8"
CONICAL WIDTH AT TOP: 4"
CONICAL WIDTH AT BASE: 7.56"



A - GRIP N GO CHANNELIZER CONE

Meets NCHRP-350 Certification and MUTCD standards. Channelizer cone utilizes less space than traditional barricades or drums. 42" tiered-cone design with the GRIP AND GO handle. 49.8" to the handle top. Available with various reflective sheeting and recessed areas for protection when stacking. Handle accommodates most barricade lights and tape products. Polyethylene with UV inhibitors minimizes fading. HI= Hi-Intensity Sheeting, EG=Engineer Grade Sheeting, DG=Diamond Grade Sheeting.



E
GRIP N GO
03-750 SERIES

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
03-750	42" CHANNELIZER	NO SHEETING
03-750-4EGG	42" CHANNELIZER	(4) 4" EG SHEETING, OWOW
03-750-6EG	42" CHANNELIZER	(4) 6" EG SHEETING, OWOW
03-750-4FP	42" CHANNELIZER	(4) 4" DG SHEETING, OWOW
03-750-6FP	42" CHANNELIZER	(4) 6" DG SHEETING, OWOW
03-750-6FPWO	42" CHANNELIZER	(4) 6" DG SHEETING, WOWO
03-750-64HI	42" CHANNELIZER	(1) 4" & (1) 6" HI PRIZ SHEETING
03-750-6HIFP	42" CHANNELIZER	(2) 6" DG & (2) 6" HI PRIZ SHEETING

B
TRAILBLAZER
03-760-HIG

B - TRAIL BLAZER VERTICAL PANEL

Meets MUTCD. Engineer Grade or High-Intensity reflective sheeting available. Only weighs 3.4 lbs sheeted excluding rubber base. Product is stackable and made from polyethylene. It's recessed panels protect reflective sheeting. 15 lbs, 20 lbs and 30 lbs recycled rubber bases available.

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
03-760	TRAILBLAZER PANEL	NO SHEETING. TOP ONLY
03-760-EGG	TRAILBLAZER PANEL	ENGINEER GRADE SHEETING. BOTH SIDES. TOP ONLY
03-760-HIG	TRAILBLAZER PANEL	HI-INTENSITY SHEETING
03-760-15#	15 LBS RUBBER BASE	18.5" W X 22" L X 1.3" H
03-760-20G	20 LBS RUBBER BASE	18.5" W X 22" L X 1.8" H
03-760-30#	30 LBS RUBBER BASE	18.5" W X 22" L X 2.6" H



CHANNELIZER DRUM

A
BASE OPTIONS:



MOLDED RUBBER BASE



TIRE RING BASE

A
CHANNELIZER
DRUM
03-780-6HIG



A - CHANNELIZER DRUM

Accommodates most barricade lights. Design allows for easy pickup. Five panels available for sheeting. Three bases available: 25 lbs and 40 lbs recycled rubber and 22.5 lbs recycled tire ring. Anti-roll foot design. Rubber base incorporates a waffle pattern on bottom to eliminate 'walking' or 'creeping'. Tapered design enables nesting for storage or transportation. 18.12" diameter across top and 23" diameter across the bottom. Height (without base): 41.27". NTPEP tested, meets NCHRP350 & MUTCD.

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
03-781	CH ANNELIZER DRUM	LD PE TOP ONLY, PLAIN
03-781-4EG	CH ANNELIZER DRUM	LD PE TOP ONLY, 4 ENGINEER GRADE 4" STRIPES, OWOW
03-781-6FP	CH ANNELIZER DRUM	LD PE TOP ONLY, 4 DIAMOND GRADE 6" STRIPES, OWOW
03-781-4FP	CH ANNELIZER DRUM	LD PE TOP ONLY, 4 DIAMOND GRADE 4" STRIPES, OWOW
03-780	CH ANNELIZER DRUM	HD PE TOP ONLY, PLAIN
03-780-4EGG	CH ANNELIZER DRUM	HD PE TOP ONLY, 4 ENGINEER GRADE 4" STRIPES, OWOW
03-780-6EGG	CH ANNELIZER DRUM	HD PE TOP ONLY, 4 ENGINEER GRADE 6" STRIPES, OWOW
03-780-4FP	CH ANNELIZER DRUM	HD PE TOP ONLY, 4 DIAMOND GRADE 4" STRIPES, OWOW
03-780-6FP	CH ANNELIZER DRUM	HD PE TOP ONLY, 4 DIAMOND GRADE 6" STRIPES, OWOW
03-750-TRG	CH ANNELIZER DRUM	22.5 LB RECYCLED TIRE RING BASE
03-732-25#	CH ANNELIZER DRUM	25 LB RECYCLED RUBBER BASE, ROUND, SNAP-ON
03-732G	CH ANNELIZER DRUM	40 LB RECYCLED RUBBER BASE, ROUND SNAP-ON
03-781-6HI	CH ANNELIZER DRUM	LD PE TOP ONLY, 4 HI PRIZ 6" STRIPES, OWOW
03-780-4HI	HD PE	TOP ONLY W/ 4" HI-INTENSITY STRIPES
03-780-6HI	HD PE	TOP ONLY W/ 4" HI-INTENSITY STRIPES
03-781-4HI	LD PE	TOP ONLY W/ 4" HI-INTENSITY STRIPES
03-781-6HI	LD PE	TOP ONLY W/ (4) 6" HI-INTENSITY STRIPES

* HIGH MOVING ITEM



LAMBA CONES & FLOOR STANDS

LAMBA products offer the original four-sided cone with a variety of messages and languages. Accessories include chain links and lock-in signs. All of our LAMBA products are made in the USA.



A - LAMBA CONES

25" and 36" yellow models. Available plain or imprinted with stock legends. International languages and styles. 25" Cone Dimensions: 10" base, 4-3/4" middle, 3-1/4" top. 36" Cone Dimensions: 12" base, 6" middle, 3-1/2" top. Custom imprinting available.

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
03-600-12	25" YELLOW FLOOR CONES	PLAIN, 5/PACK
03-600-12CAU	25" YELLOW FLOOR CONES	CAUTION, 5/PACK
03-600-06	25" YELLOW FLOOR CONES	SAFETY FIRST, 5/PACK
03-600-12WF	25" YELLOW FLOOR CONES	WET FLOOR, 5/PACK
03-600-07	25" YELLOW FLOOR CONES	CUIDADO PISO MOJADO/WET FLOOR, 5/PACK
03-600-00	36" YELLOW FLOOR CONES	PLAIN, 5/PACK
03-600-11A	36" YELLOW FLOOR CONES	CAUTION, 5/PACK
03-600-02	36" YELLOW FLOOR CONES	DANGER PEOPLE WORKING ABOVE, 5/PACK
03-600-11	36" YELLOW FLOOR CONES	NO PARKING, 5/PACK
03-600-04	36" YELLOW FLOOR CONES	SAFETY FIRST, 5/PACK
03-600-08	36" YELLOW FLOOR CONES	WET FLOOR, 5/PACK
03-600-09	36" YELLOW FLOOR CONES	CUIDADO PISO MOJADO/WET FLOOR, 5/PACK
03-600-01	36" YELLOW FLOOR CONES	CUIDADO /SEGURIDAD AUTE TODO/SAFETY FIRST, 5/PACK

B - 2' X 4' SAFETY FLOOR SIGNS

The LAMBA 2'x4' safety floor sign helps companies control their environment in an effort to reduce accidents. Featuring our LOCKIN' ARM technology for easy setup and extra stability. Four-sided caution messages display clear warnings from every angle. The 24" high plastic signs fold up quickly and store in spaces as narrow as 3".

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
03-600-33	PLAIN	6/PACK
03-600-34	CAUTION, WET FLOOR	6/PACK
03-600-35	WET FLOOR, WALK RIGHT/LEFT	6/PACK
03-600-36	WET FLOOR, CUIDADA PISO MOJADO	6/PACK
03-600-37	NO ENTRY, REST ROOM CLOSED	6/PACK
03-600-38	CAUTION, WATCH YOUR STEP	6/PACK
03-600-43	CAUTION	6/PACK
03-600-49	OUT OF SERVICE	6/PACK



A - MESSAGE LABELS

Yellow 8" x 8" adhesive-backed vinyl for use on our lock-in signs.

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
30-600-19	PLAIN (NO TEXT)	ENGLISH
03-600-20	SLIPPERY	ENGLISH
03-600-21	WATCH YOUR STEP	ENGLISH
03-600-22	REST ROOM CLOSED - NO ENTRY	ENGLISH
03-600-23	WET FLOOR PLEASE WALK TO THE RIGHT	ENGLISH
03-600-24	WET FLOOR PLEASE WALK TO THE LEFT	ENGLISH
03-600-25	CAUTION - WET FLOOR	ENGLISH
03-600-26	WET FLOOR	ENGLISH/SPANISH



B - 2" YELLOW PLASTIC CHAIN

Helps to expand the effectiveness of the LAMBA cones or 2x4. Attach either slide link into the side of LAMBA cone or to the custom hooks on our 2x4 to create a safety system.

MFR. NO.	PRODUCT DESCRIPTION
03-600-27	20' CHAIN
03-600-28	100' CHAIN

C - RING WEIGHTS - LAMBA ACCESSORY

Black metal. Slides over cone and rests on base. Weight for 25" cones inner dimensions: 8"x8". Weight for 36" cones inner dimensions: 10" x 10".

MFR. NO.	PRODUCT DESCRIPTION
03-600-29	CONE WEIGHT 7 LBS
03-600-30	CONE WEIGHT 9 LBS



D - LOCK-IN SIGNS & LAMBA ACCESSORIES

8" x 8" plastic sign that can be placed in top of LAMBA cones to display message labels. Lock-In flashing light requires (2) AA batteries. Batteries not included.

MFR. NO.	PRODUCT DESCRIPTION
03-600-31	RED SIGN
03-600-32	LOCK IN FLASHING LIGHT

PACK N POP CONES



ALL OF OUR PACK AND POP OPTIONS COME PACKED IN CONVENIENT EASY-TO-CARRY PORTABLE BAGS.

A - PACK AND POP COLLAPSIBLE CONE

Meets MUTCD standards. Internal cone light features 2 settings: steady and burn and flashing. Operates on 2 'AAA' batteries (included) and endures 300 hours in flashing mode and 120 hours in steady mode. 18" and 28" Pack and Pop cones have 1 LED internal cone light bulb and 30" Pack and Pop Cones have 4 LED internal cone light bulbs. Constructed with orange waterproof nylon.

28" PACK AND POP FEATURES 1/2" TALL AND 3/4" WIDE BLACK FEET.



B
COLLAPSIBLE
CONE
03-500-80

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
03-501-01	PACK N POP, LT & FT ORANGE	6U 4L
03-501-02	PACK N POP, LT & FT ORANGE	6U 4L, (4/CS)
03-501-03	PACK N POP, LT & FT ORANGE	6U 4L (5/CS)
03-501-04	PACK N POP, 4 LED LIGHTS ORANGE	BLACK RUBBER BASE 6U 4L
03-501-05	PACK N POP, 4 LED LIGHTS ORANGE	BLACK RUBBER BASE 6U 4L (5/CS)
03-501-06	PACK N POP WITHOUT FEET ORANGE	PLASTIC BASE (4/CS)

B - REFLECTIVE COLLAPSIBLE CONE WITH LED LIGHT

Portable, collapsible, 28" reflective cone is ideal for hazardous areas, police departments, school zones, industrial plants and for use by emergency responders. Collapses to 2" height and easily stores under the seat or in the trunk. Provides quick and easy set-up and take-down. Heavy-duty, polyester cone construction is resistant to most chemicals. Durable base is manufactured of heavy duty ABS. 6" & 4" highly reflective collars (permanently attached) and LED safety light (removable) provide additional visibility of 850' at night. Usable temperature is -40° F to 130° F.



MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
03-500-80	COLLAPSIBLE CONE W/LED LIGHT	28" REFLECTIVE
03-500-80-5	COLLAPSIBLE CONE W/LED LIGHT - 5 PK. - ORANGE/SILVER (5/CS)	28" REFLECTIVE
03-500-80KT	COLLAPSIBLE CONE W/OUT LED LIGHT - 5 PK. (5/CS)	28" REFLECTIVE

* HIGH MOVING ITEM

TRAFFIC CONES

A - REFLECTIVE COLLARS

NEW!

Collared cones come in 18", 28" and 36" cone sizes. Collar sizes are 6" upper and 4" lower. Stenciling available on all cones.

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
03-502	REFLECTIVE CONE COLLAR	6" UPPER FOR 28" STANDARD CONE
03-503	REFLECTIVE CONE COLLAR	4" LOWER FOR 28" STANDARD CONE



A
COLLARS

B
W SERIES
RECESSED



B - W SERIES RECESSED TRAFFIC CONE

18", 28", and 36" cones meet NCHRP-350 Certification and MUTCD standards. Easier stacking with no pinch points for collars. Increased durability for reflective sheeting; recessed collars resist direct wear.

MFR. NO.	PRODUCT DESCRIPTION
03-500-100R	W CONE - 28" RECESSED, 6" UPPER 4" LOWER
03-500-07R	W CONE - 29" RECESSED PLAIN

C - W SERIES FLUORESCENT LIME TRAFFIC CONE

W Series, wide-body design. Flow molded, day glow fluorescent lime. Fluorescent color increases pedestrian and driver awareness.

MFR. NO.	PRODUCT DESCRIPTION
03-500-05LI	W CONE - 18" FLUORESCENT LIME
03-500-65	W CONE - 28" FLUORESCENT LIME
03-500-68	W CONE - 28" FLUORESCENT LIME W/ 6" UPPER 4" LOWER
03-500-08LI	W CONE - 36" FLUORESCENT LIME
03-500-06LI	W CONE - 36" FLUORESCENT LIME W/ 6" UPPER 4" LOWER
03-500-65B	W CONE - 28" FLUORESCENT LIME W/ BLACK BASE
03-500-68B	W CONE - 28" FLUORESCENT LIME W/ BLACK BASE

C
W SERIES
FLUORESCENT



NEW!

CUSTOM IMPRINTING
AVAILABLE!

SEE PRICE BOOK.



TRAFFIC CONES

D - DW SERIES TRAFFIC CONE

18", 28", and 36" cones meet NCHRP-350 Certification and MUTCD standards. Wide-body design with rugged black base. Injection molded day glow orange PVC.

MFR. NO.	PRODUCT DESCRIPTION
03-500-09	DW CONE - 12"
03-500-05	DW CONE - 18"
03-500-07	DW CONE - 28"
03-500-18	DW CONE - 28" 10 LBS.
03-500-10	DW CONE - 28" W/ 6" UPPER 4" LOWER REFLECTIVE COLLARS
03-500-103	DW CONE - 28" W/ 6" UPPER 4" LOWER
03-500-08	DW CONE - 36"
03-500-19	DW CONE - 36" 12 LBS.
03-500-25	DW CONE - 36" W/ 6" UPPER 4" LOWER FDOT
03-500-21	DW CONE - 18" W/ 6" UPPER COLLAR
03-500-24	DW CONE - 28" 10 LBS 6"/ 4" COLLAR
03-500-25	DW CONE - 36" 12 LBS 6"/ 4" COLLAR
03-500-27	DW CONE - 36" 12 LBS.
03-500-05	DW CONE - 18" RED/ORANGE*
03-500-06	DW CONE - 36" 6"/4" COLLAR, RED/ORANGE*
03-500-09	DW CONE - 12" RED/ORANGE*



D
DW SERIES



E
E SERIES

E - W SERIES TRAFFIC CONE

18", 28", and 36" cones meet NCHRP-350 Certification and MUTCD standards. Injection molded, day glow orange PVC with white inner liner. One-piece, wide-body design with rugged orange base.

MFR. NO.	PRODUCT DESCRIPTION
03-500-090	W CONE - 12"
03-500-050	W CONE - 18"
03-500-070	W CONE - 28"
03-500-060	W CONE - 36"
03-500-100	W CONE - 28" W/ 6" UPPER 4" LOWER COLLAR

F - FL SERIES SLIMLINE TRAFFIC CONE

Meets NCHRP-350 Certification and MUTCD standards. Narrow wind-resistant profile with orange base. Flow molded, day glow red/orange PVC with white inner liner. One-piece design.

MFR. NO.	PRODUCT DESCRIPTION
03-500-29	FL CONE - CONE 36"
03-500-44	FL CONE "SLIM LINE" 28" ORANGE
03-500-45	FL CONE "SLIM LINE" 28" ORANGE
03-500-46	FL CONE "SLIM LINE" 28" ORANGE 6" / 4" COLLAR



F
FL SERIES

TRAFFIC CONE ACCESSORIES



A
CONE HOLDER
03-500-99

A - CONE HOLDER

Ideal for vehicular use. Holds no more that (10) 18" cones or (5) 28" cones only. Mounting plate is 6.75" wide. Height of unit = 22" from bottom of mounting plate to top of holder. Hardware not included.

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
03-500-99	TRAFFIC CONE HOLDER	...



B
CONE BAR
03-824CB

B - RETRACTABLE CONE BAR

The Cortina Safety Products Retractable Cone Bar is designed to be used with any and all PVC traffic cones. The Retractable bar is extremely versatile for road and utility work sites, great for parking lots and pedestrian crossways, and many more areas that need a fast and unique barrier system.

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
03-824CB	RETRACTABLE CONE BAR	ORANGE

C - CONE BAR BARRICADE

The Cortina Safety Products Cone Bar Barricade is a quick set up ADA cone bar barrier system for use around man holes, sidewalk repair, crowd control, etc. It is extremely portable and easy to assemble and requires limited storage space.


MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
03-824CBKT	CONE BAR BARRICADE	ORANGE



D - BARRICADE TAPE CLIPS

For attaching tape to traffic cones and posts. Fits all manufacturers traffic cones. Provides a quick, easy set up visual barrier around hazardous areas.

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
03-500-BTC	BARRICADE TAPE CLIP	SOLD IN 5 PACKS ONLY



E - CONE CART

Heavy duty construction allows for carrying up to 500lbs. The cart's easy roll design makes working around tight spaces a breeze and saves time. It also reduces the potential for injury. Cones can be mixed and matched for easy transport. The wheels are heavy duty, long wearing and maintenance free.

MFR. NO.	PRODUCT DESCRIPTION
03-500-CCG	CONE CART

ATTACHES TO ALL MANUFACTURERS CONES


- Durable Uv resistant ABS Plastic
- Withstands wide range of temperature extremes
- Custom legends available.



A - CONE SIGN BLANKS

Injection molded one piece design, not cut or trimmed to size. Clean crisp edges, no flaking or splintering. Won't warp or bend. Excellent surface for adhesive application or screening. Longer life than aluminum. UV color protection package. A .125 thick high impact ABS resin. Excellent in extreme weather conditions rain, snow, sleet or hot weather conditions up to 200 degrees.

MFR. NO.	PRODUCT DESCRIPTION
13-03-550	ORANGE CONE SIGN BLANK
13-03-550-1	WHITE CONE SIGN BLANK
03-550-BL	ORANGE CONE SIGN BLANK WITH BLACK BORDER





B
CONE SIGNS
03-550

B - CONE SIGNS

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
03-550-AKL	KEEP LEFT W/ ARROW SYMBOL	BLACK ON ORANGE*
03-550-AKLW	KEEP LEFT W/ ARROW SYMBOL	BLACK ON WHITE
03-550-AKR	KEEP RIGHT W/ ARROW SYMBOL	BLACK ON ORANGE*
03-550-AKRW	KEEP RIGHT W/ ARROW SYMBOL	BLACK ON WHITE
03-550-AL	ARROW SYMBOL - LEFT	BLACK ON ORANGE*
03-550-AR	ARROW SYMBOL - RIGHT	BLACK ON ORANGE
03-550-ARL	ARROW SYMBOL - DOUBLE	BLACK ON ORANGE
03-550-BL	BLANK WITH BORDER	BLACK ON WHITE
03-550-C	C AUTION BLACK ON	ORANGE
03-550-DET	D ETOUR BLACK ON	ORANGE
03-550-DNE	DO NOT ENTER W HITE ON	RED
03-550-FWA	FORWARD ARROW POINTING UP BLACK ON	ORANGE
03-550-GCAF	G OLF CART ARROW FORWARD B LACK ON	WHITE
03-550-GCAL	G OLF CART ARROW LEFTB LACK ON	WHITE
03-550-GCAR	G OLF CART ARROW RIGHTB LACK ON	WHITE
03-550-H	HANDICAP SYMBOL W HITE ON	BLUE*
03-550-LC	L ANE CLOSED	BLACK ON WHITE
03-550-LF	LOT FULL	BLACK ON ORANGE
03-550-MW	MEN WORKING	BLACK ON ORANGE
03-550-NES	ELECTIONEERING PROHIBITED AT THIS SITE	BLACK ON ORANGE
03-550-NP	NO PARKING	BLACK ON ORANGE*
03-550-NTT	NO THRU TRAFFIC	BLACK ON ORANGE
03-550-R	RESERVED	BLACK ON ORANGE
03-550-RC	ROAD CLOSED	BLACK ON ORANGE
03-550-RES	RESERVED (WHITE)	BLACK ON WHITE
03-550-S	SLOW	BLACK ON ORANGE
03-550-SC	SIDEWALK CLOSED	BLACK ON ORANGE
03-550-SSC	STREET CLOSED	BLACK ON WHITE
03-550-WA	WO RKERS ABOVE	BLACK ON ORANGE
03-550-WAH	WO RKERS AHEAD	BLACK ON ORANGE
03-550-WP	W ET PAINT	BLACK ON ORANGE
03-550-2WA	REVERSIBLE ARROW SYMBOL	BLACK ON ORG. W/ NOTCH ON TOP & BOTTOM*
03-550-3WAR	REFLECTIVE, 2 WAY ARROW	BLACK ON ORANGE

* HIGH MOVING ITEM

SPORT CONES



A - SPORT CONES

Sport cones are made from lightweight, durable injection-molded polyethylene. 18" height with a 12"x12" base. Ideal for amusement parks, schools, sporting events, parking lots and temporary traffic control. Special colors and stenciling available. (minimums required)

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
03-500-34	SPORT CONE 5"	ORANGE
03-500-36	SPORT CONE 18"	RED*
03-500-37	SPORT CONE 18"	WHITE*
03-500-38	SPORT CONE 18"	YELLOW*
03-500-39	SPORT CONE 18"	BLUE*
03-500-40	SPORT CONE 18"	GREEN*
03-500-41	SPORT CONE 18"	FLUORESCENT LIME
03-500-42	SPORT CONE 18"	FLUORESCENT ORANGE*
03-500-30	SPORT CONE 18"	BLACK
03-500-31	SPORT CONE 18"	FLUORESCENT PINK



STOP / SLOW PADDLES

 STOP/SLOW
PADDLE
03-827P



A - PADDLES

Paddles meet MUTCD requirements. Octagon-shaped paddles are available silk-screened or reflective with Engineer Grade or Hi-Intensity sheeting. Letter size: 8" for 24" paddles, 6" for 18" paddle. Handle sold separately. 81" High-Viz orange plastic handle.

18" x 18" silk-screened aluminum or ABS hand held, octagon paddles are ideal for school crossing guards, police and plant security guards. .080 aluminum with scratch resistant paint finish or extremely durable ABS material. Polygrip handle is included.

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
03-820	PADDLE, STOP/GO ALUMINUM	18" W/ 9" POLYGRIP HANDLE
03-822	PADDLE, STOP/SLOW PLASTIC	24" EGR SHEETING
03-822P	PADDLE, STOP/SLOW PLASTIC	24" EGR SHEETING W/ 81" PLASTIC HANDLE*
03-823	PADDLE, STOP/SLOW PLASTIC	24" HI SHEETING
03-823P	PADDLE, STOP/SLOW, PLASTIC	24" HI SHEETING W/ 81" PLASTIC HANDLE*
03-826	PADDLE, STOP/SLOW PLASTIC	24" DIAMOND GRADE
03-826P	PADDLE, STOP/SLOW PLASTIC	24" DIAMOND GRADE W/ 81" PLASTIC HANDLE*
03-827	PADDLE, STOP/SLOW PLASTIC	24" SILK-SCREENED
03-827P	PADDLE, STOP/SLOW PLASTIC	24" SILK-SCREENED W/ 81" PLASTIC HANDLE*
03-830	PADDLE, STOP/SLOW, ALUMINUM	18" W/ 9" POLYGRIP HANDLE
03-831	PADDLE, STOP/STOP, ALUMINUM	18" W/ 9" POLYGRIP HANDLE
03-835	PADDLE, STOP/SLOW, PLASTIC	18" EGR SHEETING
03-836	PADDLE, STOP/SLOW, PLASTIC	18" HI SHEETING
03-837	PADDLE, STOP/SLOW, PLASTIC	18" DIAMOND GRADE SHEETING
03-838	PADDLE, STOP/SLOW, PLASTIC	18" SILK-SCREENED
03-851	PADDLE, STOP/SLOW, PLASTIC	18" SILK-SCREENED W/ 9" POLYGRIP HANDLE*
03-852	PADDLE, STOP/SLOW, PLASTIC	18" EGR SHEETING W/ 9" POLYGRIP HANDLE
03-853	PADDLE, STOP/SLOW, PLASTIC	18" HI SHEETING W/ 9" POLYGRIP HANDLE
03-854	PADDLE, STOP/STOP, PLASTIC	18" SILK SCREENED W/ 9" POLYGRIP HANDLE
03-855	PADDLE, STOP/STOP, PLASTIC	18" EGR W/ 9" POLYGRIP HANDLE
03-856	PADDLE, STOP/STOP, PLASTIC	18" HI-I SHEETING W/ 9" POLYGRIP HANDLE
03-650	18" STOP SLOW PA DDLE BLANK	ABS MATERIAL
03-601	24" STOP SLOW PA DDLE BLANK	ABS MATERIAL
13-01-01	BOLT KIT FOR PADDLE	

* HIGH MOVING ITEM

 STOP/SLOW
PADDLE
03-827P



B - ALUMINUM PADDLES

Meets MUTCD requirements. Octagon shape. Paddles available silk screened (non-reflective) or reflective in Engineer, High-Intensity or Diamond Grade sheeting. Also accommodates 6' wood handle (sold separately).



MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
03-856	STOP / STOP 18"	18" HI-INTENSITY W/ 9" POLYGRIP HANDLE
03-867	STOP / SLOW 24"	24" NON-REFLECTIVE W/ 6' WOOD HANDLE



C - NON - REFLECTIVE PADDLES (ALUMINUM)

Aluminum, silk-screened octagon-shaped paddles in 15" or 18" size. 0.080 gauge baked aluminum enamel. Available with 6" aluminum, 6" wooden handles. Ideal for school crossing guards, flaggers and plant security guards. Wood handle: 6.5" short, 6' long, 7-1/8" to bottom of sign. Aluminum handle: 5-3/16", 14-7/8" to bottom of sign. Assembly kit includes paddle, handle and hardware.

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
03-863 18"	ALUMINUM SIGN ASSEMBLY KITS	18" ALUMINUM HANDLE
03-864 18"	ALUMINUM SIGN ASSEMBLY KITS	18" WOOD HANDLE
03-868 24"	STOP & SLOW PADDLE HI-INTENSITY	6' WOOD HANDLE
03-870 24"	STOP & SLOW PADDLE W/ EGR SHEETING	6' WOOD HANDLE

D - PADDLE HANDLES

MFR. NO.	PRODUCT DESCRIPTION	SPECIFICATION
03-824	PADDLE HANDLE, PLASTIC 81"*	...
03-850 9"	POLYGRIP HANDLE ONLY	FOR STOP/SLOW PADDLES

* HIGH MOVING ITEM

ROLL-UP SIGNS



Marathon, Super Bright and 3M Diamond Grade sign materials qualify as fluorescent, retro-reflective roll-up signs per MUTCD specifications.



A - MARATHON REFLEXITE REFLECTIVE ROLL - UP SIGN

Meets NCHRP-350 Certification and MUTCD standards. 36" or 48" lightweight roll-up signs that utilize Marathon Fluorescence, designed with technology to increase sign detection, especially in low-light conditions such as dawn, dusk and overcast days. Designed with micro-prismatic reflective sheeting bonded to a heavy-duty fiber-reinforced vinyl material. This construction will not delaminate and provides outstanding durability, legibility and long sign life. Easier to transport and only weigh 8 lbs. Sign will not wrinkle or crinkle and will maintain its legibility after multiple uses. Purchase with confidence: Marathon signs offer and unprecedented 3 YEAR WARRANTY on the material!

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION	MFR. NO. 48"	PRODUCT DESC	SPECIFICATION
07-800-3013 36"	ROLL-UP SIGN	BE PREPARE D TO STOP	07-800-4014 48"	ROLL-UP SIGN	BE PREPARED TO STOP
07-800-3003 36"	ROLL-UP SIGN	CONSTRUCTION AHEAD	07-800-4003 48"	ROLL-UP SIGN	CONSTRUCTION AHEAD
07-800-3014 36"	ROLL-UP SIGN	DETOUR AHEAD	07-800-4015 48"	ROLL-UP SIGN	DETOUR AHEAD
07-800-3001 36"	ROLL-UP SIGN	FLAGGER AHEAD	07-800-4001 48"	ROLL-UP SIGN	FLAGGER AHEAD
07-800-3006 36"	ROLL-UP SIGN	FLAGGER AHEAD SYMBOL	07-800-4006 48"	ROLL-UP SIGN	FLAGGER AHEAD SYMBOL
07-800-3063 36"	ROLL-UP SIGN	FRESH OIL	48" ROLL-UP SIGN		FRESH OIL
07-800-3000 36"	ROLL-UP SIGN	MEN WORKING	07-800-4000	48" ROLL-UP SIGN	MEN WORKING
07-800-3002 36"	ROLL-UP SIGN	MEN WORKING SYMBOL	07-800-4002 48"	ROLL-UP SIGN	MEN WORKING SYMBOL
07-800-3022 36"	ROLL-UP SIGN	MERGE LEFT SYMBOL	07-800-4013 48"	ROLL-UP SIGN	MERGE LEFT SYMBOL
07-800-3070 36"	ROLL-UP SIGN	MERGE RIGHT	07-800-4023 48"	ROLL-UP SIGN	MERGE RIGHT
07-800-3012 36"	ROLL-UP SIGN	MERGE RIGHT SYMBOL	07-800-4012 48"	ROLL-UP SIGN	MERGE RIGHT SYMBOL
07-800-3015 36"	ROLL-UP SIGN	MOWING AHEAD	07-800-3015 48"	ROLL-UP SIGN	MOWING AHEAD
07-800-3016 36"	ROLL-UP SIGN	O NE LANE ROAD AHEAD	07-800-4017 48"	ROLL-UP SIGN	ONE LANE ROAD AHEAD
07-800-3017 36"	ROLL-UP SIGN	RT LANE CLOSED AHEAD	07-800-4018 48"	ROLL-UP SIGN	RT LANE CLOSED AHEAD
07-800-3019 36"	ROLL-UP SIGN	RT SHOULDER CLOSED	07-800-4019 48"	ROLL-UP SIGN	RT SHOULDER CLOSED
07-800-3018 36"	ROLL-UP SIGN	ROAD CLOSED AHEAD	07-800-4011 48"	ROLL-UP SIGN	ROAD CLOSED AHEAD
07-800-3004 36"	ROLL-UP SIGN	ROAD CONSTRUCTION AHEAD	07-800-4004 48"	ROLL-UP SIGN	ROAD CONSTRUCTION AHEAD
07-800-3007 36"	ROLL-UP SIGN	ROAD WORK AHEAD	07-800-4007 48"	ROLL-UP SIGN	ROAD WORK AHEAD
07-800-3020 36"	ROLL-UP SIGN	SLOW	07-800-4021 48"	ROLL-UP SIGN	SLOW
07-800-3008 36"	ROLL-UP SIGN	SURVEY CREW	07-800-4008 48"	ROLL-UP SIGN	SURVEY CREW
07-800-3009 36"	ROLL-UP SIGN	SURVEY CREW AHEAD	07-800-4009 48"	ROLL-UP SIGN	SURVEY CREW AHEAD
07-800-3010 36"	ROLL-UP SIGN	UTILITY WORK AHEAD	07-800-4010 48"	ROLL-UP SIGN	UTILITY WORK AHEAD
07-800-3005 36"	ROLL-UP SIGN	WORK AREA AHEAD	07-800-4005 48"	ROLL-UP SIGN	WORK AREA AHEAD
07-800-3021 36"	ROLL-UP SIGN	WORKERS AHEAD	07-800-4022 48"	ROLL-UP SIGN	WORKERS AHEAD



B - MARATHON REFLEXITE REFLECTIVE ROLL - UP SIGN OVERLAYS

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION	MFR. NO. 48"	PRODUCT DESC	SPECIFICATION
07-800-3098	36" OVERLAYS	500 FT.	07-800-4103	48" OVERLAYS	500 FT.
07-800-3099	36" OVERLAYS	1000 FT.	07-800-4104	48" OVERLAYS	1000 FT.
07-800-3100	36" OVERLAYS	1500 FT.	07-800-4105	48" OVERLAYS	1500 FT.
07-800-3101	36" OVERLAYS	1/2 MILE	07-800-4106	48" OVERLAYS	1/2 MILE
07-800-3102	36" OVERLAYS	1 MILE	07-800-4107	48" OVERLAYS	1 MILE
07-800-3103	36" OVERLAYS	BLANK	07-800-4108	48" OVERLAYS	BLANK
07-800-3104	36" OVERLAYS	CENTER	07-800-4109	48" OVERLAYS	CENTER
07-800-3105	36" OVERLAYS	DIRECTIONAL ARROW	07-800-4112	48" OVERLAYS	DIRECTIONAL ARROW
07-800-3106	36" OVERLAYS	LEFT	07-800-4110	48" OVERLAYS	LEFT
07-800-3107	36" OVERLAYS	ONE	07-800-4111	48" OVERLAYS	ONE

C - SUPER BRIGHT REFLEXITE REFLECTIVE ROLL - UP SIGN

Meets NCHRP-350 Certification and MUTCD standards. Fluorescent orange color provides maximum visibility. Fluorescent orange micro-prismatic sheeting increases legibility and provides higher reflective performance. Features vinyl-coated nylon pocket design. Economical alternative.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION	MFR. NO. 48"	PRODUCT DESC	SPECIFICATION
	36" ROLL-UP SIGN	BE PREPARED TO STOP	07-800-4028 48"	ROLL-UP SIGN	BE PREPARED TO STOP
07-800-3030 36"	ROLL-UP SIGN	D ETOUR AHEAD	07-800-4031 48"	ROLL-UP SIGN	D ETOUR AHEAD
07-800-3023 36"	ROLL-UP SIGN	FLAGGER AHEAD	07-800-4024 48"	ROLL-UP SIGN	FLAGGER AHEAD
07-800-3024 36"	ROLL-UP SIGN	FLAGGER SYMBOL	07-800-4025 48"	ROLL-UP SIGN	FLAGGER SYMBOL
07-800-3028 36"	ROLL-UP SIGN	CONSTRUCTION AHEAD	07-800-4030 48"	ROLL-UP SIGN	CONSTRUCTION AHEAD
07-800-3027 36"	ROLL-UP SIGN	MERGE RIGHT	07-800-4044 48"	ROLL-UP SIGN	MERGE RIGHT
07-800-3044 36"	ROLL-UP SIGN	MERGE RT SYMBOL	07-800-4043 48"	ROLL-UP SIGN	MERGE RT SYMBOL
07-800-3045 36"	ROLL-UP SIGN	MERGE LFT SYMBOL	07-800-4045 48"	ROLL-UP SIGN	MERGE LFT SYMBOL
07-800-3025 36"	ROLL-UP SIGN	MEN WORKING	48"	ROLL-UP SIGN	MEN WORKING
07-800-3026 36"	ROLL-UP SIGN	MEN WORKING SYMBOL	07-800-4027 48"	ROLL-UP SIGN	MEN WORKING SYMBOL
07-800-3031 36"	ROLL-UP SIGN	MOWING AHEAD	07-800-4059 48"	ROLL-UP SIGN	MOWING AHEAD
07-800-3033 36"	ROLL-UP SIGN	RT LANE CLOSED AHEAD	07-800-4033 48"	ROLL-UP SIGN	RT LANE CLOSED AHEAD
07-800-3032 36"	ROLL-UP SIGN	ONE LANE ROAD AHEAD	07-800-4032 48"	ROLL-UP SIGN	ONE LANE ROAD AHEAD
07-800-3038 36"	ROLL-UP SIGN	RT SHOULDER CLOSED	48"	ROLL-UP SIGN	RT SHOULDER CLOSED
07-800-3035 36"	ROLL-UP SIGN	ROAD CLOSED AHEAD	07-800-4035 48"	ROLL-UP SIGN	ROAD CLOSED AHEAD
07-800-3036 36"	ROLL-UP SIGN	ROAD CONSTRUCTION AHEAD	07-800-4036 48"	ROLL-UP SIGN	ROAD CONSTRUCTION AHEAD
07-800-3037 36"	ROLL-UP SIGN	ROAD WORK AHEAD	07-800-4037 48"	ROLL-UP SIGN	ROAD WORK AHEAD
07-800-3039 36"	ROLL-UP SIGN	SHOULDER WORK AHEAD	07-800-4038 48"	ROLL-UP SIGN	SHOULDER WORK AHEAD
07-800-3041 36"	ROLL-UP SIGN	SURVEY CREW AHEAD	07-800-4041 48"	ROLL-UP SIGN	SURVEY CREW AHEAD
07-800-3046 36"	ROLL-UP SIGN	UTILITY WORK AHEAD	07-800-4046 48"	ROLL-UP SIGN	UTILITY WORK AHEAD
07-800-3034 36"	ROLL-UP SIGN	WORK AREA AHEAD	07-800-4034 48"	ROLL-UP SIGN	WORK AREA AHEAD
07-800-3042 36"	ROLL-UP SIGN	WORKERS AHEAD	07-800-4042 48"	ROLL-UP SIGN	WORKERS AHEAD
36"	ROLL-UP SIGN	FRESH OIL	07-800-4047 48"	ROLL-UP SIGN	FRESH OIL
07-800-ERW 36"	ROLL-UP SIGN	END ROAD WORK	07-800-4ERW 48"	ROLL-UP SIGN	END ROAD WORK
07-800-3029 36"	ROLL-UP SIGN	TRUCKS ENTERING HWY	07-800-4029 48"	ROLL-UP SIGN	TRUCKS ENTERING HWY

D- SUPER BRIGHT REFLEXITE REFLECTIVE ROLL - UP SIGN OVERLAYS

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION	MFR. NO. 48"	PRODUCT DESC	SPECIFICATION
07-800-3085	36" OVERLAYS	LEFT	07-800-4087	48" OVERLAYS	LEFT
07-800-3086	36" OVERLAYS	CENTER	07-800-4088	48" OVERLAYS	CENTER
07-800-3087	36" OVERLAYS	BLANK	07-800-4089	48" OVERLAYS	BLANK
07-800-3088	36" OVERLAYS	DIRECTIONAL ARROW	07-800-4090	48" OVERLAYS	DIRECTIONAL ARROW
07-800-3089	36" OVERLAYS	500 FT.	07-800-4091	48" OVERLAYS	500 FT.
07-800-3090	36" OVERLAYS	1000 FT.	07-800-4092	48" OVERLAYS	1000 FT.
07-800-3091	36" OVERLAYS	1500 FT.	07-800-4093	48" OVERLAYS	1500 FT.

E - DIAMOND GRADE 3M REFLECTIVE ROLL - UP SIGN

Meets NCHRP-350 Certification and MUTCD standards. Fluorescent orange color provides maximum visibility. Polycarbonate material.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION	MFR. NO. 48"	PRODUCT DESC	SPECIFICATION
07-800-3050	36" ROLL-UP SIGN	BE PREPARED TO STOP	07-800-4052	48" ROLL-UP SIGN	BE PREPARED TO STOP
07-800-3051	36" ROLL-UP SIGN	DETOUR AHEAD			
07-800-3047	36" ROLL-UP SIGN	FLAGGER AHEAD	07-800-4048	48" ROLL-UP SIGN	FLAGGER AHEAD
07-800-3048	36" ROLL-UP SIGN	FLAGGER SYMBOL	07-800-4049	48" ROLL-UP SIGN	FLAGGER SYMBOL
07-800-3CA	36" ROLL-UP SIGN	CONSTRUCTION AHEAD	07-800-4055	48" ROLL-UP SIGN	CONSTRUCTION AHEAD
07-800-3058	36" ROLL-UP SIGN	MERGE RT SYMBOL	07-800-4061	48" ROLL-UP SIGN	MERGE RT SYMBOL
07-800-3MLS	36" ROLL-UP SIGN	MERGE LFT SYMBOL	07-800-4MLS	48" ROLL-UP SIGN	MERGE LFT SYMBOL
07-800-3049	36" ROLL-UP SIGN	MEN WORKING	07-800-4050	48" ROLL-UP SIGN	MEN WORKING
07-800-3053	36" ROLL-UP SIGN	RT LANE CLOSED AHEAD	07-800-4054	48" ROLL-UP SIGN	RT LANE CLOSED AHEAD
07-800-3052	36" ROLL-UP SIGN	ONE LANE ROAD AHEAD	07-800-4053	48" ROLL-UP SIGN	ONE LANE ROAD AHEAD
07-800-3055	36" ROLL-UP SIGN	ROAD CLOSED AHEAD	07-800-4056	48" ROLL-UP SIGN	ROAD CLOSED AHEAD
07-800-3RCA	36" ROLL-UP SIGN	ROAD CONSTRUCTION AHEAD	07-800-4055	48" ROLL-UP SIGN	ROAD CONSTRUCTION AHEAD
07-800-3RWA	36" ROLL-UP SIGN	ROAD WORK AHEAD	07-800-4RWA	48" ROLL-UP SIGN	ROAD WORK AHEAD
07-800-3056	36" ROLL-UP SIGN	SHOULDER WORK AHEAD	07-800-4058	48" ROLL-UP SIGN	SHOULDER WORK AHEAD
07-800-3059	36" ROLL-UP SIGN	UTILITY WORK AHEAD	07-800-4UWA 4	8" ROLL-UP SIGN	UTILITY WORK AHEAD
07-800-3054	36" ROLL-UP SIGN	WORK AREA AHEAD	07-800-4WAA	48" ROLL-UP SIGN	WORK AREA AHEAD
07-800-3057	36" ROLL-UP SIGN	WORKERS AHEAD	07-800-4WA	48" ROLL-UP SIGN	WORKERS AHEAD
07-800-3ERW	36" ROLL-UP SIGN	END ROAD WORK	07-800-4ERW	48" ROLL-UP	SIGN END ROAD WORK

F - DIAMOND GRADE 3M REFLECTIVE ROLL - UP SIGN OVERLAYS

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION	MFR. NO. 48"	PRODUCT DESC	SPECIFICATION
07-800-3092	36" OVERLAYS	LEFT	07-800-4094	48" OVERLAYS	LEFT
07-800-OC	36" OVERLAYS	CENTER	07-800-4095	48" OVERLAYS	CENTER
07-800-3093	36" OVERLAYS	BLANK	07-800-4097	48" OVERLAYS	BLANK
07-800-3094	36" OVERLAYS	DIRECTIONAL ARROW	07-800-4098	48" OVERLAYS	DIRECTIONAL ARROW
07-800-3095	36" OVERLAYS	500 FT.	07-800-4099	48" OVERLAYS	500 FT.
07-800-3096	36" OVERLAYS	1000 FT.	07-800-O1000 4	8" OVERLAYS	1000 FT.
07-800-O1500	36" OVERLAYS	1500 FT.	07-800-4100	48" OVERLAYS	1500 FT.
07-800-O1/2M	36" OVERLAYS	1/2 MILE	07-800-4101	48" OVERLAYS	1/2 MILE
07-800-3097	36" OVERLAYS	1 MILE	07-800-4102	48" OVERLAYS	1 MILE

G - BW MESH NON - REFLECTIVE ROLL - UP SIGN

Meets NCHRP-350 Certification and MUTCD standards. Manufactured from tightly woven polyester fabric. Specially formulated PVC coated polyester fiber woven and thermoset competitively priced for a roll-up panel. Features vinyl-coated nylon pocket design. Lexan pockets available upon request at an additional cost. Silk-screened legends and borders.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION	MFR. NO. 48"	PRODUCT DESC	SPECIFICATION
07-800-3013	36" ROLL-UP SIGN	BE PREPARED TO STOP	07-800-4014	48" ROLL-UP SIGN	BE PREPARED TO STOP
07-800-3014	36" ROLL-UP SIGN	DETOUR AHEAD	07-800-4015	48" ROLL-UP SIGN	DETOUR AHEAD
07-800-3001	36" ROLL-UP SIGN	FLAGGER AHEAD	07-800-4001	48" ROLL-UP SIGN	FLAGGER AHEAD
07-800-3006	36" ROLL-UP	SIGN FLAGGER SYMBOL	07-800-4006	48" ROLL-UP SIGN	FLAGGER SYMBOL
07-800-3003	36" ROLL-UP SIGN	CONSTRUCTION AHEAD	07-800-4003	48" ROLL-UP SIGN	CONSTRUCTION AHEAD
07-800-3012	36" ROLL-UP SIGN	MERGE RT SYMBOL	07-800-4012	48" ROLL-UP SIGN	MERGE RT SYMBOL
07-800-3022	36" ROLL-UP SIGN	MERGE LFT SYMBOL	07-800-4013	48" ROLL-UP SIGN	MERGE LFT SYMBOL
07-800-3000	36" ROLL-UP SIGN	MEN WORKING	07-800-4000	48" ROLL-UP SIGN	MEN WORKING
07-800-3002	36" ROLL-UP SIGN	MEN WORKING SYMBOL	07-800-4002 4	48" ROLL-UP SIGN	MEN WORKING SYMBOL
07-800-3015	36" ROLL-UP SIGN	MOWING AHEAD	07-800-4MMA	48" ROLL-UP SIGN	MOWING AHEAD
07-800-3017	36" ROLL-UP SIGN	RT LANE CLOSED AHEAD	07-800-4018	48" ROLL-UP SIGN	RT LANE CLOSED AHEAD
07-800-3016	36" ROLL-UP SIGN	ONE LANE ROAD AHEAD	07-800-4017	48" ROLL-UP SIGN	ONE LANE ROAD AHEAD
07-800-3018	36" ROLL-UP SIGN	ROAD CLOSED AHEAD	07-800-4011	48" ROLL-UP SIGN	ROAD CLOSED AHEAD
07-800-3004	36" ROLL-UP SIGN	ROAD CONSTRUCTION AHEAD	07-800-4004	48" ROLL-UP SIGN	ROAD CONSTRUCTION AHEAD
07-800-3007	36" ROLL-UP SIGN	ROAD WORK AHEAD	07-800-4007	48" ROLL-UP SIGN	ROAD WORK AHEAD
	36" ROLL-UP SIGN	SHOULDER WORK AHEAD	07-800-4020	48" ROLL-UP SIGN	SHOULDER WORK AHEAD
07-800-3020	36" ROLL-UP SIGN	SLOW	07-800-4021	48" ROLL-UP SIGN	SLOW
07-800-3008	36" ROLL-UP SIGN	SURVEY CREW	07-800-4008	48" ROLL-UP SIGN	SURVEY CREW
07-800-3009	36" ROLL-UP SIGN	SURVEY CREW AHEAD	07-800-4009	48" ROLL-UP SIGN	SURVEY CREW AHEAD
07-800-3010	36" ROLL-UP SIGN	UTILITY WORK AHEAD	07-800-4010	48" ROLL-UP SIGN	UTILITY WORK AHEAD
07-800-3005	36" ROLL-UP SIGN	WORK AREA AHEAD	07-800-4005	48" ROLL-UP SIGN	WORK AREA AHEAD
07-800-3021	36" ROLL-UP SIGN	WORKERS AHEAD	07-800-4022	48" ROLL-UP SIGN	WORKERS AHEAD
07-800-3MTEH	36" ROLL-UP SIGN	TRUCKS ENTERING HWY	07-800-4MTEH	48" ROLL-UP SIGN	TRUCKS ENTERING HWY



SIGN STANDS

Cortina is proud to offer a full range of sign stands to meet your work zone signage needs. Our Quadra Flex VI sign stands, constructed of steel bases and aluminum mast and legs, deliver the quality you have come to rely on.

A - QUADRA FLEX VI

NEW!

Our Quadra Flex product line allows deployment of roll-up signs at various heights between 14" and 6' from ground surface. The entire line is designed to withstand strong wind gusts. Models also feature telescopic legs with easy to use kick-release.

- Steel base and spring components specially coated to withstand 500 hours of salt spray.
- Aircraft aluminum alloy legs and uprights, with anti-skid rubber leg caps.
- Adjustable legs for stability on curbs or uneven terrain
- Dual-spring base with strong initial tension resists twisting and turning of sign in high wind gusts
- Kick-release legs simplify set-up
- One person deployment without tools



A
QUADRA FLEX VI
07-801-1

A
QUADRA FLEX VI
07-805-1

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
07-801-1	QF-VI FOR 36" & 48" ROLL UP SIGN	HOLDS SIGN 14" OFF GROUND
07-805-1	QF-VI FOR 36" & 48" ROLL UP SIGN	HOLD S SIGN 5' OFF GROUND
07-809	RIDGED BRACKETS TO CONVERT QF-VI TO HOLD RIDGID SIGNS	
07-824-2	QF-VR HOLDS RIGID SIGNS 3' OFF GROUND	

B - QFV-W & QLV-W SCREWLOCK SIGN STANDS

NEW!

Screw-lock sign stands include bracket and feature telescoping legs. For use with roll-up signs only.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
07-819-1	HOLD S 36" & 48" ROLL UP SIGNS	NO SPRING
07-815-1	HOLD S 36" & 48" ROLL UP SIGNS	SINGLE SPRING



B
ECONO TRI POD
STAN DS
07-819-1

B
ECONO TRI POD
STAN DS
07 815 1



C - QUADRA FLEX EMERGENCY RESPONSE KIT

Complete compact sign stand system for emergency response.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
07-810	36" SIGN AND STAND SYSTEM	SPECIFY LEGEND
07-811	48" SIGN AND STAND SYSTEM	SPECIFY LEGEND

D - VEHICLE MOUNT SIGN HOLDER



Add another level of protection to your advance warning signage and traffic incident management with the vehicle sign mount bracket. Mounts easily to grab bar, enhances safe positioning, increases conspicuity and visibility. Sign deploys quickly and safely. Stores in place, ready for immediate release.

MFR. NO. 36"	PRODUCT DESC
07-827	VEHICLE MOUNT BRACKET



E - VEHICLE MOUNT HITCH ADAPTER FOR ROLL UP SIGNS

Fits into any 2" square hitch receiver. Sign deploys quickly and safely, sign can be rotated 45° in either direction, telescoping upright, release button for easy dismantling. Provides effective communication to upstream vehicles. Communicates direction of the transition.

MFR. NO. 36"	PRODUCT DESC
07-826	VEHICLE MOUNT BRACKET

F - ECONO TRIPOD & T-STAND

Complete compact sign stand system for emergency response.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
07-822	TRIPOD STAND	FOR ROLL UP & RIDGID SIGNS
07-823	T-STAND	FOR ROLL UP SIGNS

QUICK DEPLOY / BATONS



C
STOP SIGN
03-747QD

A - QUICK DEPLOY STOP SIGN

System is a quick set up, effective traffic control system designed to be used in industrial plants, 4 way intersections, parking lots, schools, airports, hospitals, intersections where stop light is inoperable due to natural disasters, etc. The highly visible system provides 4 way stop visibility. The QDtm System is easy to set up and use. Each kit includes 1 white delineator post, 1-15lb recycled rubber base, and 2-18" ABS plastic STOP signs. Lightweight, easy to set up and move.

MFR. NO. 36"

PRODUCT DESCRIPTION

03-730	RUBBER BASE 10#
03-731	RUBBER BASE 15#
03-747QD	NON-REFLECTIVE
03-747QDHI15	18" HIGH INTENSITY RFL
03-747QDDG15	18" FLUORESCENT ORANGE PRISMATIC



B
BATON
03-300, 301, 303

B - ELECTRONIC SAFETY BATON

Pulsating high intensity LED lights. Water and impact resistant construction.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
03-300	LED BATON 12" C-CELL	STEADY ON / SLOW FLASH / FAST FLASH
03-301	LED BATON W/ BELT CLIP 9" C-CELL	STEADY ON / FAST FLASH
03-303	LED BATON W/ BELT CLIP 12" D-CELL	STEADY ON /FAST FLASH

* HIGH MOVING ITEM


FENCING

A - GENERAL - PURPOSE 12 LB FENCING

NEW!

Mono-oriented safety fence with horizontal openings. Tensile strength - MD: 240 lbs/ft TD: 90 lbs/ft. Heavier and more visible than general purpose 9#.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
03-904	12 LBS / HORIZONTAL	4X100 ORANGE, 48 ROLLS / PALLET
03-903	12 LBS / HORIZONTAL	4X100 GREEN, 48 ROLLS / PALLET




B - MID -GRADE DIAMOND FENCING

NEW!

Diamond mesh safety fence with smooth top and bottom. Heavier and more visible than light-duty diamond safety fence. Tensile strength - MD: 160 lbs / ft TD: 100 lbs / ft.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
03-906-MGO	14 LBS DIAMOND	4X50 ORANGE, 30 ROLLS / PALLET
03-907-5MGO	23 LBS DIAMOND	5X50 ORANGE, 30 ROLLS / PALLET




C - HEAVY - DUTY DIAMOND FENCING

NEW!

Diamond mesh safety fence with smooth top and bottom. Strongest and heaviest diamond mesh fence we offer. Tensile strength - MD: 180 lbs/ft TD: 175 lbs/ft.


MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
03-906-MGO	14 LBS DIAMOND	4X50 ORANGE, 30 ROLLS / PALLET



D - FENCING

Orange polyethylene. Highly visible. Uv stabilized. Rugged and reusable.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
03-900	PLASTIC FENCE DIAMOND MESH	ORANGE 4' X 50'
03-901	PLASTIC FENCE DIAMOND MESH	ORANGE 4' X 100'
03-902	LIGHTWEIGHT BARRIER FENCE	ORANGE 4' X 100'



* HIGH MOVING ITEM

WARNING FLAGS



A - WARNING FLAGS

Reinforced heavy-duty fluorescent red-orange vinyl or heavy-duty mesh/vinyl flags. Available in 18" x 18" or 24" x 24" sizes. 3/4" diameter hardwood dowel available in 24", 30" and 36" lengths. Standard pack of 50 each.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
03-229-3404	VINYL FLAG	18" W/ 30" WOODEN DOWEL
03-229-3405	VINYL FLAG	18" W/ 36" WOODEN DOWEL
03-229-3406	MESH FLAG	18" W/ 24" WOODEN DOWEL
03-229-3407	MESH FLAG	18" W/ 30" WOODEN DOWEL
03-229-3408	VINYL FLAG	24" W/ 30" WOODEN DOWEL
03-229-3409	MESH FLAG	24" W/ 30" WOODEN DOWEL
03-229-3410	MESH FLAG	24" W/ 36" WOODEN DOWEL
03-229-3412	WEAVE MESH FLAG "	ONLY" 18" X 18"
03-229-3415	THROW AWAY WARNING FLAG	18" X 18" *
03-229-3417	VINYL FLAG	18" W / 24" WOODEN DOWEL
03-229-3418	VINYL FLAG	24" W / 36" WOODEN DOWEL
03-229-3423	AIRPORT FLAG	36" X 36" ORANGE/WHITE NYLON
03-229-3424	VINYL FLAG	18" W/ 24" WOODEN DOWEL, BRIGHT RED
03-229-3440	VINYL FLAG,	24" W / 36" WOODEN DOWEL, BRIGHT RED

PENNANTS & WINDSOCKS

A - PENNANTS

9" x 12" on a 100' or 60' string. Tensile strength - 107lbs. Available in orange, yellow, red, alternating red/white, orange/white, or multi-colored. Standard pack of 25 each.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
03-400	PENNANT VINYL	100' RED
03-400-60	PENNANT VINYL	60' RED
03-401	PENNANT VINYL	100' RED/WHITE
03-401-60	PENNANT VINYL	60' RED/WHITE
03-402	PENNANT VINYL	100' ORANGE
03-402-60	PENNANT VINYL	60' ORANGE
03-403	PENNANT VINYL	100' MULTI-COLORED
03-403-60	PENNANT VINYL	60' MULTI-COLORED
03-404	PENNANT VINYL	100' ORANGE / WHITE
03-404-60	PENNANT VINYL	60' ORANGE/WHITE
03-405	PENNANT VINYL	100' YELLOW
03-405-60	PENNANT VINYL	60' YELLOW



B - WIND SOCKS



International orange color with UV inhibitors. High quality PVC over nylon material for increased durability. Double stitched at all seams. Weather proof and durable for a wide variety of applications. Frames are corrosion resistant aluminum that mounts on a standard 1.25" outside diameter pipe. Windsock mounts quickly to frame via lock ties and pre-installed brass grommets.



MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
03-WS-3KT	WINDSOCK W/ HARDWARE	10" OPENING X 3'
03-WS-4KT	WINDSOCK W/ HARDWARE	18" OPENING X 4'
03-WS-8KT	WINDSOCK W/ HARDWARE	18" OPENING X 8'
03-WS-3	WINDSOCK	ONLY 3'
03-WS-4	WINDSOCK	ONLY 4'
03-WS-8	WINDSOCK	ONLY 8'

BANNERS / SMV SIGNS



A - BANNER

18" x 18" with 5' rope ties in each corner. Wide load / Oversize load combination: front and back. Bright yellow reinforced vinyl material with black letters. Letter size = 12".

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
03-11-000	HWY. BANNER	WIDE LOAD / OVERSIZE LOAD BANNER COMBO

B - SLOW MOVING VEHICLE SIGNS

Slow Moving emblem on pre-punched metal or molded plastic backings. Meets new ASAE S276.5 & ASAE S279.10 standards.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
05-099-10	SLOW MOVING VEHICLE SIGN	(METAL) ASAE 276.5
05-099-11	SLOW MOVING VEHICLE DECAL	ASAE 276.5
05-099-12	SLOW MOVING VEHICLE SIGN	(PLASTIC) ASAE 276.5
05-099-13	SPADE MOUNTING BRACKET	SLOW MOVING VEHICLE BRACKET

REFLECTIVE PRODUCTS

A - CONSPICUITY MATERIAL

Constructed entirely of tough, clear acrylics, with a Uv absorbing top film. Superior outdoor durability and protection against weather, dirt and time. Bright red surface protected from fading or degrading from exposure to harsh solvents or washing detergents. Exceeds requirements of the NHTSA (49CRF571), and every roll carries the "DOT-CZ" Certification for compliance.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
03-500-82	7 YEAR CONSPICUITY	150' ROLL
03-500-92	3 YEAR CONSPICUITY	150' ROLL



A
CONSPICUITY
03-500-82

B - CONSPICUITY MATERIAL

Features superior nighttime reflectivity and long distance visibility with high reflectivity from 1000' or more. Effective through rain, snow or fog. Meets ASTM D4956-94, Type III, Type VIII, FMVSS131 and FMVSS17.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
03-501-80	PREMIUM CONSPICUITY	SCHOOL BUS 1" X 150'
03-501-83	PREMIUM CONSPICUITY	SCHOOL BUS 2" X 150'



B
BUS CONSPICUITY
03-501-80

C - DRIVEWAY MARKERS

Ideal for home, farm, construction and municipal areas. Available in four colors and in both 36" and 48" stake lengths. Reflector housing made from unbreakable ABS material. Lens is sonic welded and locks out moisture. Display tab molded in white fiberglass stake.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
05-099-01-A	36" DRIVEWAY MARKER	PLASTIC ROD, AMBER
05-099-01-B	36" DRIVEWAY MARKER	PLASTIC ROD, BLUE
05-099-01-C	36" DRIVEWAY MARKER	PLASTIC ROD, CLEAR
05-099-01-R	36" DRIVEWAY MARKER	PLASTIC ROD, RED
05-099-02-A	48" DRIVEWAY MARKER	PLASTIC ROD, AMBER
05-099-02-B	48" DRIVEWAY MARKER	PLASTIC ROD, BLUE
05-099-02-C	48" DRIVEWAY MARKER	PLASTIC ROD, CLEAR
05-099-02-R	48" DRIVEWAY MARKER	PLASTIC ROD, RED



C
DRIVEWAY
05-009




D
BULK REFLECTORS

D - BULK REFLECTORS

All sizes and colors available in 100 piece packs.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
13-099-02	OBLONG REFLECTOR	DUAL MOUNT, RED-BULK
13-099-06	OBLONG REFLECTOR	DUAL MOUNT, AMBER-BULK
13-099-09	OBLONG REFLECTOR	DUAL MOUNT, BLUE-BULK
13-099-12	2 1/8" DIA. REFLECTOR S/ADH	BLUE-BULK
13-099-13	2 1/8" DIA. REFLECTOR S/ADH	AMBER-BULK
13-099-21	2 1/8" DIA. REFLECTOR S/ADH	RED-BULK
13-099-25	2 1/8" DIA. REFLECTOR S/ADH	CLEAR-BULK
13-099-31	3 1/8" DIA. REFLECTOR S/ADH	RED-BULK
13-099-32	3 3/8" DIA. REFLECTOR	CTR. HOLE MOUNT, RED-BULK
13-099-34	3 1/8" DIA. REFLECTOR S/ADH.	AMBER-BULK
13-099-35	3 3/8" DIA. REFLECTOR	CTR. HOLE MOUNT, AMBER-BULK
13-099-37	3 1/8" DIA. REFLECTOR S/ADH	BLUE-BULK
13-099-38	3 3/8" DIA. REFLECTOR	CTR. HOLE MOUNT, BLUE-BULK
13-099-40	3 1/8" DIA. REFLECTOR S/ADH	CLEAR-BULK
13-099-41	3 3/8" DIA. REFLECTOR	CTR. HOLE MOUNT, CLEAR-BULK

WHEEL CHOCKS PARKING BLOCKS SPEED BUMPS



A - WHEEL CHOCKS

Most popular design rubber wheel chock affords maximum durability and skid protection. Especially under adverse weather conditions. Zinc-plated eyebolt. Weighs 9 lbs.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
2048C	12' 10# JACK CHAIN	...
2048WC	HEAVY DUTY	WHEEL CHOCK
2048WCC	WHEEL CHOCK	W /12' CHAIN



B - PARKING BLOCKS

Maintenance free. Recycled rubber will not warp, crack or rot. Resistant to oil, Uv and moisture. Stands up in wide temperature extremes. Painted yellow stripes are reflective. Easily installed by one person. 36" block requires 2 spikes, 48" block requires 3 spikes and 72" block requires 4 spikes. Spikes are sold separately.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
2049PB	4' PARKING BLOCK STRIPED	YELLOW, RUBBER
2050PB	6' PARKING BLOCK STRIPED	YELLOW, RUBBER
2057PB	3' PARKING BLOCK STRIPED	YELLOW, RUBBER
2053S	14" SPIKE, PAINTED	STEEL SPIKE

C - SPEED BUMPS

Maintenance free. Extremely durable recycled rubber will not warp, crack or rot. Withstands wide temperature extremes. Painted with polyurethane yellow reflective paint. Built in cats eye reflectors for added visibility. Two 1.25" underside channels allow for cables and provide drainage. 48" speed bump requires 3 spikes, 72" speed bump requires 4 spikes. Good for weights up to 6000 lbs.



MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
2054SB	4' SPEED BUMP STRIPED	YELLOW/RUBBER
2055SB	6' SPEED BUMP STRIPED	YELLOW/RUBBER
2056SB	3' SPEED BUMP STRIPED	YELLOW/RUBBER
2053S	14" SPIKE, PAINTED	STEEL SPIKE

STROBE LIGHTS

A - LOW PROFILE TEAR DROP LIGHT

Whether you are up fitting a single unit or an entire fleet, we offer the industries highest quality and dependable line of amber lights; all of which meet or exceed applicable SAE requirements.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
22-56525	AMBER, ROTATING HALOGEN TEAR DROP	12 V, MAG MOUNT
22-56526	RED, ROTATING HALOGEN TEAR DROP	12V MAG MOUNT
22-56527	BLUE, ROTATING HALOGEN TEAR DROP	12V MAG MOUNT



B - MINI-STROBE

Diameter: 4.6" at the base, weight 1.5 lb., amp draw: .08, Micro-burst mini-strobe. Outside temperature range between -5°F and 113°F. Sonic welded unit, completely sealed. Includes a 15" straight cord and cigarette lighter plug with a built-in on/off switch. 3-year warranty, including the bulb. 60 bright quad flashes (4 flashes per second) per minute.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
22-56525	AMBER, ROTATING HALOGEN TEAR DROP	12 V, MAG MOUNT
22-56526	RED, ROTATING HALOGEN TEAR DROP	12V MAG MOUNT
22-56527	BLUE, ROTATING HALOGEN TEAR DROP	12V MAG MOUNT

A - LOW PROFILE TEAR DROP LIGHT

4-3/8" H x 4-1/4" base diameter. Weight: 2.5 lbs. Lens: Polycarbonate. Light source: Single hit xenon flash tube. Electronic: All solid state circuitry. Candle power: 90,000. Amperage: 4 amps. Operating range: outside temperature range between -40°F and +122°F. Flash per minute: 60. Operating range of 11-15.5 volts. Offered only with magnetic/suction base design and cigarette lighter plug. 2' cord.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
22-56529	LOW -PROFILE STROBE, LIGHTER PLUG-IN	2.5 LBS. MAGNETIC BASE



BARGARD COVERS



A - BARGARD PROTECTOR COVERS

NEW!

Fits rebar #3-9, 3/8" to 7/8" diameter. Metal reinforced. Safety orange color provides visibility.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
97-1810	CAL-OSHA ORANGE REBAR CAP	3.5"W X 3.5"H, 100/PACK

B - BARGARD PROTECTOR COVERS

NEW!

Fits rebar 3/8" to 3/4" diameter. Also fits inside 1" ID pipe.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
97-1811	A -5 LIME REBAR CAP	2.25"W X 2.5"H, 100/PA CK



C - A- 10 BARGARD COVERS

NEW!

Fits rebar 3/8" to 1-1/4" diameter. Also fits inside 1-3/4" ID pipe.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
97-1812	A -10 LIME REBAR CAP	2.5"W X 3"H, 100/PA CK

D - A- 20 BARGARD COVER

NEW!

Fits rebar 1" to 2-1/4" diameter. Also fits inside 1-3/4" ID pipe.

MFR. NO. 36"	PRODUCT DESC	SPECIFICATION
97-1813	A -20 LIME REBAR CAP	2.75"W X 3.5"H, 100/PA CK
97-1814	A -20 WHITE REBAR CAP	2.75"W X 3.5"H, 100/PA CK





1-866-871-4394



www.discountdirectionals.com